



Table of Contents

| | |
|--|---------|
| AIX 5L for POWER V5.2 Expansion Pack CD Volume 1 for 5692-A5L feature code 3410+0949 | Page 02 |
| AIX 5L for POWER V5.2 Expansion Pack CD Volume 2 for 5692-A5L feature code 3410+0949 | Page 07 |
| AIX 5L for POWER V5.2 Expansion Pack CD Volume 3 for 5692-A5L feature code 3410+0949 | Page 09 |
| AIX 5L for POWER V5.2 Expansion Pack DVD Volume 1 for 5692-A5L feature code 3435+0949 | Page 09 |
| AIX 5L for POWER V5.3 Expansion Pack CD Volume 1 for 5692-A5L feature code 3410+0968 | Page 17 |
| AIX 5L for POWER V5.3 Expansion Pack CD Volume 2 for 5692-A5L feature code 3410+0968 | Page 23 |
| AIX 5L for POWER V5.3 Expansion Pack DVD Volume 1 for 5692-A5L feature code 3435+0968 | Page 24 |

Purpose: The purpose of this document is to describe, for programs which ship on the AIX 5L Expansion Pack, the file sets for programs in installp packaging and to provide directory information for programs which are not. It is intended for use by those who may install these programs.

AIX 5L V5.2 Expansion Pack

```
=====
AIX V5.2 Expansion pack CD #1
=====
# ./GSKit.README contains XXX
# ./NAS.LICENSE.README contains XXX
# ./README.expansion contains XXX
# ./README.expansion.html contains XXX
# ./ismp/ppc/IHS2/IHS2.response contains XXX
# ./ismp/ppc/IHS2/gskit.sh contains XXX
# ./ismp/ppc/IHS2/gskta.rte contains XXX
# ./ismp/ppc/IHS2/license/LA_cs contains XXX
# ./ismp/ppc/IHS2/license/LA_de contains XXX
# ./ismp/ppc/IHS2/license/LA_en contains XXX
# ./ismp/ppc/IHS2/license/LA_es contains XXX
# ./ismp/ppc/IHS2/license/LA_fr contains XXX
# ./ismp/ppc/IHS2/license/LA_it contains XXX
# ./ismp/ppc/IHS2/license/LA_ja contains XXX
# ./ismp/ppc/IHS2/license/LA_ko contains XXX
# ./ismp/ppc/IHS2/license/LA_pl contains XXX
# ./ismp/ppc/IHS2/license/LA_pt contains XXX
# ./ismp/ppc/IHS2/license/LA_tr contains XXX
# ./ismp/ppc/IHS2/license/LA_zh contains XXX
# ./ismp/ppc/IHS2/license/LA_zh_TW contains XXX
# ./ismp/ppc/IHS2/license/LI_cs contains XXX
# ./ismp/ppc/IHS2/license/LI_de contains XXX
# ./ismp/ppc/IHS2/license/LI_en contains XXX
# ./ismp/ppc/IHS2/license/LI_es contains XXX
# ./ismp/ppc/IHS2/license/LI_fr contains XXX
# ./ismp/ppc/IHS2/license/LI_it contains XXX
# ./ismp/ppc/IHS2/license/LI_ja contains XXX
# ./ismp/ppc/IHS2/license/LI_ko contains XXX
# ./ismp/ppc/IHS2/license/LI_pl contains XXX
# ./ismp/ppc/IHS2/license/LI_pt contains XXX
# ./ismp/ppc/IHS2/license/LI_tr contains XXX
# ./ismp/ppc/IHS2/license/LI_zh contains XXX
# ./ismp/ppc/IHS2/license/LI_zh_TW contains XXX
# ./ismp/ppc/IHS2/media.inf contains XXX
# ./ismp/ppc/IHS2/readme/readme_de.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_en.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_es.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_fr.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_it.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_ja.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_ko.html contains XXX
```

```
# ./ismp/ppc/IHS2/readme/readme_pt_BR.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_zh.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_zh_TW.html contains XXX
# ./ismp/ppc/IHS2/setup.jar contains XXX
# ./ismp/ppc/IHS2/silent.res contains XXX
Java131.adt - Java131.adt 1.3.1.15 - Java Application Development Debuggers
Java131.ext - Java131.ext 1.3.1.2 - Java Comm API Extension
Java131.msg.Ja_JP - Java131.msg.Ja_JP 1.3.1.0 - Java Locale & Messages - Japanese
Java131.msg.Zh_CN - Java131.msg.Zh_CN 1.3.1.0 - Java Locale & Messages - Simplified Chinese (GBK)
Java131.msg.Zh_TW - Java131.msg.Zh_TW 1.3.1.0 - Java Locale & Messages - Traditional Chinese (big5)
Java131.msg.ja_JP - Java131.msg.ja_JP 1.3.1.0 - Java Locale & Messages - Japanese (IBM-eucJP)
Java131.msg.ko_KR - Java131.msg.ko_KR 1.3.1.0 - Java Locale & Messages - Korean
Java131.msg.zh_CN - Java131.msg.zh_CN 1.3.1.0 - Java Locale & Messages - Simplified Chinese (EUC)
Java131.msg.zh_TW - Java131.msg.zh_TW 1.3.1.0 - Java Locale & Messages - Traditional Chinese
Java131.rte - Java131.rte 1.3.1.18 - Java Runtime Environment Executables
Java131.samples - Java131.samples 1.3.1.4 - Java Sample Demos
Java14_64.ext - Java14_64.ext 1.4.2.0 - Java SDK 64-bit Comm API Extension
Java14_64.license - Java14_64.license 1.4.2.0 - Java SDK 64-bit License
Java14_64.msg.Ja_JP - Java14_64.msg.Ja_JP 1.4.2.0 - Java SDK 64-bit Locale/Messages - Japanese
Java14_64.msg.Zh_CN - Java14_64.msg.Zh_CN 1.4.2.0 - Java SDK 64-bit Locale/Messages - Simplified Chinese (GBK)
Java14_64.msg.Zh_TW - Java14_64.msg.Zh_TW 1.4.2.0 - Java SDK 64-bit Locale/Messages - Traditional Chinese (big5)
Java14_64.msg.ja_JP - Java14_64.msg.ja_JP 1.4.2.0 - Java SDK 64-bit Locale/Messages - Japanese (IBM-eucJP)
Java14_64.msg.ko_KR - Java14_64.msg.ko_KR 1.4.2.0 - Java SDK 64-bit Locale/Messages - Korean
Java14_64.msg.zh_CN - Java14_64.msg.zh_CN 1.4.2.0 - Java SDK 64-bit Locale/Messages - Simplified Chinese (EUC)
Java14_64.msg.zh_TW - Java14_64.msg.zh_TW 1.4.2.0 - Java SDK 64-bit Locale/Messages - Traditional Chinese
Java14_64.samples - Java14_64.samples 1.4.2.0 - Java SDK 64-bit Samples
Java14_64.sdk - Java14_64.sdk 1.4.2.20 - Java SDK 64-bit
Java14_64.source - Java14_64.source 1.4.2.20 - Java SDK 64-bit Source
Java5.ext - Java5.ext 5.0.0.1 - Java SDK 32-bit Comm API Extension
Java5.msg.Ja_JP - Java5.msg.Ja_JP 5.0.0.1 - Java SDK 32-bit Locale/Messages - Japanese
Java5.msg.Zh_CN - Java5.msg.Zh_CN 5.0.0.1 - Java SDK 32-bit Locale/Messages - Simplified Chinese (GBK)
Java5.msg.Zh_TW - Java5.msg.Zh_TW 5.0.0.1 - Java SDK 32-bit Locale/Messages - Traditional Chinese (big5)
Java5.msg.ja_JP - Java5.msg.ja_JP 5.0.0.1 - Java SDK 32-bit Locale/Messages - Japanese (IBM-eucJP)
Java5.msg.ko_KR - Java5.msg.ko_KR 5.0.0.1 - Java SDK 32-bit Locale/Messages - Korean
Java5.msg.zh_CN - Java5.msg.zh_CN 5.0.0.1 - Java SDK 32-bit Locale/Messages - Simplified Chinese (EUC)
Java5.msg.zh_TW - Java5.msg.zh_TW 5.0.0.1 - Java SDK 32-bit Locale/Messages - Traditional Chinese
Java5.samples - Java5.samples 5.0.0.25 - Java SDK 32-bit Samples
Java5.sdk - Java5.sdk 5.0.0.50 - Java SDK 32-bit
Java5.source - Java5.source 5.0.0.50 - Java SDK 32-bit Source
bos.crypto-priv - bos.crypto-priv 5.2.0.0 - DES and Triple DES Encryption for IP Security
bos.rte.security_5.2.0.11.bff - bos 5.2.0.11 - Base Security Function
cas.client - cas.client 5.2.0.50 - Certificate Authentication Services Client
cas.msg.CA_ES - cas.msg.CA_ES 5.2.0.50 - Cert Auth Serv Client Messages - Catalan (UTF)
```

cas.msg.CS_CZ - cas.msg.CS_CZ 5.2.0.50 - Cert Auth Serv Client Messages - Czech (UTF)
cas.msg.DE_DE - cas.msg.DE_DE 5.2.0.50 - Cert Auth Serv Client Messages - German (UTF)
cas.msg.EN_US - cas.msg.EN_US 5.2.0.50 - Cert Auth Serv Client Messages - U.S. English (UTF)
cas.msg.ES_ES - cas.msg.ES_ES 5.2.0.50 - Cert Auth Serv Client Messages - Spanish (UTF)
cas.msg.FR_FR - cas.msg.FR_FR 5.2.0.50 - Cert Auth Serv Client Messages - French (UTF)
cas.msg.HU_HU - cas.msg.HU_HU 5.2.0.50 - Cert Auth Serv Client Messages - Hungarian (UTF)
cas.msg.IT_IT - cas.msg.IT_IT 5.2.0.50 - Cert Auth Serv Client Messages - Italian (UTF)
cas.msg.JA_JP - cas.msg.JA_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese (UTF)
cas.msg.Ja_JP - cas.msg.Ja_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese
cas.msg.KO_KR - cas.msg.KO_KR 5.2.0.50 - Cert Auth Serv Client Messages - Korean (UTF)
cas.msg.PL_PL - cas.msg.PL_PL 5.2.0.50 - Cert Auth Serv Client Messages - Polish (UTF)
cas.msg.PT_BR - cas.msg.PT_BR 5.2.0.50 - Cert Auth Serv Client Messages - Brazilian Portuguese (UTF)
cas.msg.RU_RU - cas.msg.RU_RU 5.2.0.50 - Cert Auth Serv Client Messages - Russian (UTF)
cas.msg.SK_SK - cas.msg.SK_SK 5.2.0.50 - Cert Auth Serv Client Messages - Slovak (UTF)
cas.msg.ZH_CN - cas.msg.ZH_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (UTF)
cas.msg.ZH_TW - cas.msg.ZH_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese (UTF)
cas.msg.Zh_CN - cas.msg.Zh_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (GBK)
cas.msg.Zh_TW - cas.msg.Zh_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese (big5)
cas.msg.ca_ES - cas.msg.ca_ES 5.2.0.50 - Cert Auth Serv Client Messages - Catalan
cas.msg.cs_CZ - cas.msg.cs_CZ 5.2.0.50 - Cert Auth Serv Client Messages - Czech
cas.msg.de_DE - cas.msg.de_DE 5.2.0.50 - Cert Auth Serv Client Messages - German
cas.msg.en_US - cas.msg.en_US 5.2.0.50 - Cert Auth Serv Client Messages - U.S. English
cas.msg.es_ES - cas.msg.es_ES 5.2.0.50 - Cert Auth Serv Client Messages - Spanish
cas.msg.fr_FR - cas.msg.fr_FR 5.2.0.50 - Cert Auth Serv Client Messages - French
cas.msg.hu_HU - cas.msg.hu_HU 5.2.0.50 - Cert Auth Serv Client Messages - Hungarian
cas.msg.it_IT - cas.msg.it_IT 5.2.0.50 - Cert Auth Serv Client Messages - Italian
cas.msg.ja_JP - cas.msg.ja_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese IBM-eucJP
cas.msg.ko_KR - cas.msg.ko_KR 5.2.0.50 - Cert Auth Serv Client Messages - Korean
cas.msg.pl_PL - cas.msg.pl_PL 5.2.0.50 - Cert Auth Serv Client Messages - Polish
cas.msg.pt_BR - cas.msg.pt_BR 5.2.0.50 - Cert Auth Serv Client Messages - Brazilian Portuguese
cas.msg.ru_RU - cas.msg.ru_RU 5.2.0.50 - Cert Auth Serv Client Messages - Russian
cas.msg.sk_SK - cas.msg.sk_SK 5.2.0.50 - Cert Auth Serv Client Messages - Slovak
cas.msg.zh_CN - cas.msg.zh_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (EUC)
cas.msg.zh_TW - cas.msg.zh_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese
cas.server - cas.server 5.2.0.50 - Certificate Authentication Services Server
clic.rte - clic.rte 3.23.0.0 - CryptoLite for C Library
rsct.crypt.des - rsct.crypt.des 2.3.9.0 - RSCT Security DES Encryption Modules
rsct.crypt.3des - rsct.crypt.3des 2.3.9.0 - RSCT Security Triple-DES Encryption Modules
des - des 5.2.0.1 - Data Encryption Standard Library Routines
gskak.rte - gskak 6.0.5.41 - AIX Certificate and SSL Base Runtime ACME Toolkit
gskkm.rte - gskkm 5.0.5.92 - AIX Certificate and SSL Base Runtime ACME Toolkit
gskta.rte - gskta 7.0.1.16 - AIX Certificate and SSL Base Runtime ACME Toolkit
krb5.client - krb5.client 1.4.0.4 - Network Authentication Service Client
krb5.doc.Ja_JP - krb5.doc.Ja_JP 1.4.0.4 - Network Auth Service PDF Documentation - Japanese
krb5.doc.en_US - krb5.doc.en_US 1.4.0.4 - Network Auth Service PDF Documentation - U.S. English
krb5.doc.ko_KR - krb5.doc.ko_KR 1.4.0.4 - Network Auth Service PDF Documentation - Korean

krb5.doc.zh_CN - krb5.doc.zh_CN 1.4.0.4 - Network Auth Service PDF Documentation - Simplified Chinese
 krb5.lic - krb5.lic 1.4.0.4 - Network Authentication Service License
 krb5.msg.CA_ES - krb5.msg.CA_ES 1.4.0.4 - Network Auth Service Client Msgs - Catalan (UTF)
 krb5.msg.DE_CH - krb5.msg.DE_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss German (UTF)
 krb5.msg.DE_DE - krb5.msg.DE_DE 1.4.0.4 - Network Auth Service Client Msgs - German (UTF)
 krb5.msg.EN_US - krb5.msg.EN_US 1.4.0.4 - Network Auth Service Client Msgs - U.S. English (UTF)
 krb5.msg.ES_ES - krb5.msg.ES_ES 1.4.0.4 - Network Auth Service Client Msgs - Spanish (UTF)
 krb5.msg.FR_CA - krb5.msg.FR_CA 1.4.0.4 - Network Auth Service Client Msgs - Canadian French (UTF)
 krb5.msg.FR_CH - krb5.msg.FR_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss French (UTF)
 krb5.msg.FR_FR - krb5.msg.FR_FR 1.4.0.4 - Network Auth Service Client Msgs - French (UTF)
 krb5.msg.IT_CH - krb5.msg.IT_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss Italian (UTF)
 krb5.msg.IT_IT - krb5.msg.IT_IT 1.4.0.4 - Network Auth Service Client Msgs - Italian (UTF)
 krb5.msg.JA_JP - krb5.msg.JA_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese (UTF)
 krb5.msg.Ja_JP - krb5.msg.Ja_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese
 krb5.msg.KO_KR - krb5.msg.KO_KR 1.4.0.4 - Network Auth Service Client Msgs - Korean (UTF)
 krb5.msg.PT_BR - krb5.msg.PT_BR 1.4.0.4 - Network Auth Service Client Msgs - Braz Portuguese (UTF)
 krb5.msg.ZH_CN - krb5.msg.ZH_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (UTF)
 krb5.msg.ZH_TW - krb5.msg.ZH_TW 1.4.0.4 - Network Auth Service Client Msgs - Traditional Chinese (UTF)
 krb5.msg.Zh_CN - krb5.msg.Zh_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (GBK)
 krb5.msg.Zh_TW - krb5.msg.Zh_TW 1.4.0.4 - Network Auth Service Client Msgs - T-Chinese (big5)
 krb5.msg.ca_ES - krb5.msg.ca_ES 1.4.0.4 - Network Auth Service Client Msgs - Catalan
 krb5.msg.de_CH - krb5.msg.de_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss German
 krb5.msg.de_DE - krb5.msg.de_DE 1.4.0.4 - Network Auth Service Client Msgs - German
 krb5.msg.en_US - krb5.msg.en_US 1.4.0.4 - Network Auth Service Client Msgs - U.S. English
 krb5.msg.es_ES - krb5.msg.es_ES 1.4.0.4 - Network Auth Service Client Msgs - Spanish
 krb5.msg.fr_CA - krb5.msg.fr_CA 1.4.0.4 - Network Auth Service Client Msgs - Canadian French
 krb5.msg.fr_CH - krb5.msg.fr_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss French
 krb5.msg.fr_FR - krb5.msg.fr_FR 1.4.0.4 - Network Auth Service Client Msgs - French
 krb5.msg.it_IT - krb5.msg.it_IT 1.4.0.4 - Network Auth Service Client Msgs - Italian
 krb5.msg.ja_JP - krb5.msg.ja_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese (IBM-eucJP)
 krb5.msg.ko_KR - krb5.msg.ko_KR 1.4.0.4 - Network Auth Service Client Msgs - Korean
 krb5.msg.pt_BR - krb5.msg.pt_BR 1.4.0.4 - Network Auth Service Client Msgs - Brazilian Portuguese
 krb5.msg.zh_CN - krb5.msg.zh_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (EUC)
 krb5.msg.zh_TW - krb5.msg.zh_TW 1.4.0.4 - Network Auth Service Client Msgs - Traditional Chinese
 krb5.server - krb5.server 1.4.0.4 - Network Authentication Service Server
 krb5.toolkit - krb5.toolkit 1.4.0.4 - Network Authentication Service App. Dev. Toolkit
 ldap41.max_crypto_client - ldap.max_crypto_client 4.1.0.0 - IBM Directory Client Runtime (SSL)
 ldap41.max_crypto_server - ldap.max_crypto_server 4.1.0.0 - IBM Directory Server Framework (SSL)
 modcrypt.base - modcrypt.base 5.2.0.0 - Cryptographic Library
 openssh.base - openssh.base 4.3.0.5200 - Open Secure Shell Server
 openssh.license - openssh.license 4.3.0.5200 - Open Secure Shell License
 openssh.man.en_US - openssh.man.en_US 4.3.0.5200 - Open Secure Shell Documentation - U.S. English
 openssh.msg.CA_ES - openssh.msg.CA_ES 4.3.0.5200 - Open Secure Shell Messages - Catalan (UTF)
 openssh.msg.CS_CZ - openssh.msg.CS_CZ 4.3.0.5200 - Open Secure Shell Messages - Czech (UTF)
 openssh.msg.DE_DE - openssh.msg.DE_DE 4.3.0.5200 - Open Secure Shell Messages - German (UTF)
 openssh.msg.EN_US - openssh.msg.EN_US 4.3.0.5200 - Open Secure Shell Messages - U.S. English (UTF)

openssh.msg.ES_ES - openssh.msg.ES_ES 4.3.0.5200 - Open Secure Shell Messages - Spanish (UTF)
 openssh.msg.FR_FR - openssh.msg.FR_FR 4.3.0.5200 - Open Secure Shell Messages - French (UTF)
 openssh.msg.HU_HU - openssh.msg.HU_HU 4.3.0.5200 - Open Secure Shell Messages - Hungarian (UTF)
 openssh.msg.IT_IT - openssh.msg.IT_IT 4.3.0.5200 - Open Secure Shell Messages - Italian (UTF)
 openssh.msg.JA_JP - openssh.msg.JA_JP 4.3.0.5200 - Open Secure Shell Messages - Japanese (UTF)
 openssh.msg.Ja_JP - openssh.msg.Ja_JP 4.3.0.5200 - Open Secure Shell Messages - Japanese
 openssh.msg.KO_KR - openssh.msg.KO_KR 4.3.0.5200 - Open Secure Shell Messages - Korean (UTF)
 openssh.msg.PL_PL - openssh.msg.PL_PL 4.3.0.5200 - Open Secure Shell Messages - Polish (UTF)
 openssh.msg.PT_BR - openssh.msg.PT_BR 4.3.0.5200 - Open Secure Shell Messages - Brazilian Portuguese (UTF)
 openssh.msg.RU_RU - openssh.msg.RU_RU 4.3.0.5200 - Open Secure Shell Messages - Russian (UTF)
 openssh.msg.SK_SK - openssh.msg.SK_SK 4.3.0.5200 - Open Secure Shell Messages - Slovak (UTF)
 openssh.msg.ZH_CN - openssh.msg.ZH_CN 4.3.0.5200 - Open Secure Shell Messages - Simplified Chinese (UTF)
 openssh.msg.ZH_TW - openssh.msg.ZH_TW 4.3.0.5200 - Open Secure Shell Messages - Traditional Chinese (UTF)
 openssh.msg.Zh_CN - openssh.msg.Zh_CN 4.3.0.5200 - Open Secure Shell Messages - Simplified Chinese (GBK)
 openssh.msg.Zh_TW - openssh.msg.Zh_TW 4.3.0.5200 - Open Secure Shell Messages - Traditional Chinese (big5)
 openssh.msg.ca_ES - openssh.msg.ca_ES 4.3.0.5200 - Open Secure Shell Messages - Catalan
 openssh.msg.cs_CZ - openssh.msg.cs_CZ 4.3.0.5200 - Open Secure Shell Messages - Czech
 openssh.msg.de_DE - openssh.msg.de_DE 4.3.0.5200 - Open Secure Shell Messages - German
 openssh.msg.en_US - openssh.msg.en_US 4.3.0.5200 - Open Secure Shell Messages - U.S. English
 openssh.msg.es_ES - openssh.msg.es_ES 4.3.0.5200 - Open Secure Shell Messages - Spanish
 openssh.msg.fr_FR - openssh.msg.fr_FR 4.3.0.5200 - Open Secure Shell Messages - French
 openssh.msg.hu_HU - openssh.msg.hu_HU 4.3.0.5200 - Open Secure Shell Messages - Hungarian
 openssh.msg.it_IT - openssh.msg.it_IT 4.3.0.5200 - Open Secure Shell Messages - Italian
 openssh.msg.ja_JP - openssh.msg.ja_JP 4.3.0.5200 - Open Secure Shell Messages - Japanese IBM-eucJP
 openssh.msg.ko_KR - openssh.msg.ko_KR 4.3.0.5200 - Open Secure Shell Messages - Korean
 openssh.msg.pl_PL - openssh.msg.pl_PL 4.3.0.5200 - Open Secure Shell Messages - Polish
 openssh.msg.pt_BR - openssh.msg.pt_BR 4.3.0.5200 - Open Secure Shell Messages - Brazilian Portuguese
 openssh.msg.ru_RU - openssh.msg.ru_RU 4.3.0.5200 - Open Secure Shell Messages - Russian
 openssh.msg.sk_SK - openssh.msg.sk_SK 4.3.0.5200 - Open Secure Shell Messages - Slovak
 openssh.msg.zh_CN - openssh.msg.zh_CN 4.3.0.5200 - Open Secure Shell Messages - Simplified Chinese
 openssh.msg.zh_TW - openssh.msg.zh_TW 4.3.0.5200 - Open Secure Shell Messages - Traditional Chinese
 rsct.crypt.3des - rsct.crypt.3des 2.3.9.0 - RSCT Security Triple-DES Encryption Modules
 rsct.crypt.aes128 - rsct.crypt.aes128 2.3.9.0 - RSCT Security AES 128-Bit Encryption Modules
 rsct.crypt.aes256 - rsct.crypt.aes256 2.3.9.0 - RSCT Security AES 256-Bit Encryption Modules
 rsct.crypt.des - rsct.crypt.des 2.3.9.0 - RSCT Security DES Encryption Modules
 rsct.crypt.rsa1024 - rsct.crypt.rsa1024 2.3.9.0 - RSCT Security RSA 1024-Bit Encryption Modules
 rsct.crypt.rsa512 - rsct.crypt.rsa512 2.3.9.0 - RSCT Security RSA 512-Bit Encryption Modules
 rsct.exp - rsct.exp 2.3.9.0 - RSCT CIM Resource Manager
 snmp.crypto - snmp.crypto 5.2.0.0 - 56-bit DES Encrypted SNMPV3 Support
 svcagent.client - svcagent.client 3.1.0.0 - Electronic Service Agent Client
 svcagent.cm - svcagent.cm 3.1.0.0 - Electronic Service Agent Connection Manager
 svcagent.help.en_US - svcagent.help.en_US 3.1.0.0 - Electronic Service Agent Help
 svcagent.msg.en_US - svcagent.msg.en_US 3.1.0.0 - Electronic Service Agent
 svcagent.server - svcagent.server 3.1.0.0 - Electronic Service Agent
 sysmgt.pegasus.cimserver - sysmgt.pegasus.cimserver 2.5.1.0 - Pegasus CIM Server Runtime Environment
 sysmgt.pegasus.osbaseproviders - sysmgt.pegasus.osbaseproviders 1.2.6.0 - Base Providers for AIX OS

08/2006 Edition for AIX 5L V5.2 and V5.3

sysmgt.pegasus.smisproviders - sysmgt.pegasus.smisproviders 1.1.0.0 - SMI-S Providers for AIX OS
sysmgt.websm.security-us - sysmgt.websm.security-us 5.2.0.30 - Web-based System Manager Security for US
sysmgt.websm.security - sysmgt.websm.security 5.2.0.30 - Web-based System Manager Security
sysmgt.websm.security-us - sysmgt.websm.security-us 5.2.0.30 - Web-based System Manager Security for US
tts_access.base.en_US - tts_access.base.en_US 6.7.4.0 - IBM Text-to-Speech runtime - U.S. English
tts_access.base - tts_access.base 6.7.4.0 - IBM Text-to-Speech runtime base
tts_access.base.en_US - tts_access.base.en_US 6.7.4.0 - IBM Text-to-Speech runtime - U.S. English

=====
AIX V5.2 Expansion pack CD #2
=====

./xlC.license.README.pdf contains XXX
./xlfrte.license.README.pdf contains XXX
db2_08_01.ca - db2_08_01.ca 8.1.1.16 - Configuration Assistant
db2_08_01.cc - db2_08_01.cc 8.1.1.16 - Control Center
db2_08_01.ch.en_US.iso88591 - db2_08_01.ch.en_US.iso88591 8.1.1.16 - Control Center Help (HTML) - en_US.iso88591
db2_08_01.cj - db2_08_01.cj 8.1.1.16 - Java Common files
db2_08_01.client - db2_08_01.client 8.1.1.16 - Base Client Support
db2_08_01.cnvucs - db2_08_01.cnvucs 8.1.1.16 - Code Page Conversion Tables - Unicode Support
db2_08_01.conn - db2_08_01.conn 8.1.1.16 - Connect Support
db2_08_01.conv - db2_08_01.conv 8.1.1.16 - Code Page Conversion Tables
db2_08_01.cs.rte - db2_08_01.cs.rte 8.1.1.16 - Communication Support - TCP/IP
db2_08_01.das - db2_08_01.das 8.1.1.16 - Administration Server
db2_08_01.db2.engn - db2_08_01.db2.engn 8.1.1.16 - Base DB2 UDB Support
db2_08_01.db2.rte - db2_08_01.db2.rte 8.1.1.16 - Run-time Environment
db2_08_01.db2.samples - db2_08_01.db2.samples 8.1.1.16 - Sample Database Source
db2_08_01.essg - db2_08_01.essg 8.1.1.16 - Product Signature for DB2 UDB Enterprise Server Edition
db2_08_01.icuc - db2_08_01.icuc 8.1.1.16 - ICU Collation
db2_08_01.icut - db2_08_01.icut 8.1.1.16 - ICU Utilities
db2_08_01.jdbc - db2_08_01.jdbc 8.1.1.16 - Java Support
db2_08_01.jhlp.en_US.iso88591 - db2_08_01.jhlp.en_US.iso88591 8.1.1.16 - Java Help (HTML) - en_US.iso88591
db2_08_01.ldap - db2_08_01.ldap 8.1.1.16 - DB2 LDAP Support
db2_08_01.msg.en_US.iso88591 - db2_08_01.msg.en_US.iso88591 8.1.1.16 - Product Messages - en_US.iso88591
db2_08_01.pext - db2_08_01.pext 8.1.1.16 - Parallel Extension
db2_08_01.repl - db2_08_01.repl 8.1.1.16 - Replication
db2_08_01.sqlproc - db2_08_01.sqlproc 8.1.1.16 - SQL Procedures
ldap.client - ldap.client 5.2.0.0 - Directory Client SDK
ldap.html.Ja_JP - ldap.html.Ja_JP 5.2.0.0 - Directory Man Pages - Japanese
ldap.html.Zh_CN - ldap.html.Zh_CN 5.2.0.0 - Directory Man Pages - Simplified Chinese,GBK
ldap.html.Zh_TW - ldap.html.Zh_TW 5.2.0.0 - Directory Man Pages - Big5
ldap.html.cs_CZ - ldap.html.cs_CZ 5.2.0.0 - Directory Man Pages - Czech
ldap.html.de_DE - ldap.html.de_DE 5.2.0.0 - Directory Man Pages - German
ldap.html.en_US - ldap.html.en_US 5.2.0.0 - Directory Man Pages - U.S. English
ldap.html.es_ES - ldap.html.es_ES 5.2.0.0 - Directory Man Pages - Spanish

ldap.html.fr_FR - ldap.html.fr_FR 5.2.0.0 - Directory Man Pages - French
 ldap.html.hu_HU - ldap.html.hu_HU 5.2.0.0 - Directory Man Pages - Hungarian
 ldap.html.it_IT - ldap.html.it_IT 5.2.0.0 - Directory Man Pages - Italian
 ldap.html.ja_JP - ldap.html.ja_JP 5.2.0.0 - Directory Man Pages - Japanese
 ldap.html.ko_KR - ldap.html.ko_KR 5.2.0.0 - Directory Man Pages - Korean
 ldap.html.pl_PL - ldap.html.pl_PL 5.2.0.0 - Directory Man Pages - Polish
 ldap.html.pt_BR - ldap.html.pt_BR 5.2.0.0 - Directory Man Pages - Brazilian Portuguese
 ldap.html.ru_RU - ldap.html.ru_RU 5.2.0.0 - Directory Man Pages - Russian
 ldap.html.sk_SK - ldap.html.sk_SK 5.2.0.0 - Directory Man Pages - Slovakian
 ldap.html.zh_TW - ldap.html.zh_TW 5.2.0.0 - Directory Man Pages - Traditional Chinese
 ldap.max_crypto_client - ldap.max_crypto_client 5.2.0.0 - Directory Client Runtime (SSL)
 ldap.max_crypto_server - ldap.max_crypto_server 5.2.0.0 - Directory Server Framework (SSL)
 ldap.max_crypto_webdadmin - ldap.max_crypto_webdadmin 5.2.0.0 - Directory Administrative Interface (SSL)
 ldap.msg.Ja_JP - ldap.msg.Ja_JP 5.2.0.0 - Directory Messages - Japanese
 ldap.msg.Zh_CN - ldap.msg.Zh_CN 5.2.0.0 - Directory Messages - Simplified Chinese (GBK)
 ldap.msg.Zh_TW - ldap.msg.Zh_TW 5.2.0.0 - Directory Messages - Traditional Chinese (big5)
 ldap.msg.cs_CZ - ldap.msg.cs_CZ 5.2.0.0 - Directory Messages - Czech
 ldap.msg.de_DE - ldap.msg.de_DE 5.2.0.0 - Directory Messages - German
 ldap.msg.en_US - ldap.msg.en_US 5.2.0.0 - Directory Messages - U.S. English
 ldap.msg.es_ES - ldap.msg.es_ES 5.2.0.0 - Directory Messages - Spanish
 ldap.msg.fr_FR - ldap.msg.fr_FR 5.2.0.0 - Directory Messages - French
 ldap.msg.hu_HU - ldap.msg.hu_HU 5.2.0.0 - Directory Messages - Hungarian
 ldap.msg.it_IT - ldap.msg.it_IT 5.2.0.0 - Directory Messages - Italian
 ldap.msg.ja_JP - ldap.msg.ja_JP 5.2.0.0 - Directory Messages - Japanese IBM-eucJP
 ldap.msg.ko_KR - ldap.msg.ko_KR 5.2.0.0 - Directory Messages - Korean
 ldap.msg.pl_PL - ldap.msg.pl_PL 5.2.0.0 - Directory Messages - Polish
 ldap.msg.pt_BR - ldap.msg.pt_BR 5.2.0.0 - Directory Messages - Brazilian Portuguese
 ldap.msg.ru_RU - ldap.msg.ru_RU 5.2.0.0 - Directory Messages - Russian
 ldap.msg.sk_SK - ldap.msg.sk_SK 5.2.0.0 - Directory Messages - Slovak
 ldap.msg.zh_TW - ldap.msg.zh_TW 5.2.0.0 - Directory Messages - Traditional Chinese
 ldap.server - ldap.server 5.2.0.0 - Directory Server Framework (No SSL)
 ldap.webdadmin - ldap.webdadmin 5.2.0.0 - Directory Administrative Interface
 xlc.aix50_8. - xlc.aix50 8.0.0.4 - C Set ++ Runtime for AIX 5.
 xlc.msg.Ja_JP_8. - xlc.msg.Ja_JP 8.0.0.4 - C Set ++ Runtime Messages--Japanese
 xlc.msg.en_US_8. - xlc.msg.en_US 8.0.0.4 - C Set ++ Runtime Messages--U.S. English
 xlc.msg.ja_JP_8. - xlc.msg.ja_JP 8.0.0.4 - C Set ++ Runtime Messages--Japanese IBM-eucJP
 xlc.rte_8. - xlc.rte 8.0.0.4 - C Set ++ Runtime
 xlfрте.aix51_10.1 - xlfрте.aix51 10.1.0.1 - XL Fortran Runtime Environment AIX 5.1 Libraries
 xlfрте.msg.EN_US_10.1 - xlfрте.msg.EN_US 10.1.0.1 - XL Fortran Runtime Environment Messages - U.S. English
 UTF-8
 xlfрте.msg.JA_JP_10.1 - xlfрте.msg.JA_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
 UTF-8
 xlfрте.msg.Ja_JP_10.1 - xlfрте.msg.Ja_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
 xlfрте.msg.en_US_10.1 - xlfрте.msg.en_US 10.1.0.1 - XL Fortran Runtime Messages - U.S. English
 xlfрте.msg.ja_JP_10.1 - xlfрте.msg.ja_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
 IBM-eucJP

```
xlfrte_10.1 - xlfrte 10.1.0.1 - XL Fortran Runtime Environment
xlsmplib.aix50.rte_1.6 - xlsmplib.aix50.rte 1.6.0.0 - SMP Runtime Libraries for AIX 5.
xlsmplib.msg.EN_US.rte_1.6 - xlsmplib.msg.EN_US.rte 1.6.0.0 - XL SMP Runtime Messages - U.S. English UTF-8
xlsmplib.msg.JA_JP.rte_1.6 - xlsmplib.msg.JA_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese UTF-8
xlsmplib.msg.Ja_JP.rte_1.6 - xlsmplib.msg.Ja_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese
xlsmplib.msg.ZH_CN.rte_1.6 - xlsmplib.msg.ZH_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese UTF-8
xlsmplib.msg.Zh_CN.rte_1.6 - xlsmplib.msg.Zh_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese
xlsmplib.msg.en_US.rte_1.6 - xlsmplib.msg.en_US.rte 1.6.0.0 - XL SMP Runtime Messages - U.S. English
xlsmplib.msg.ja_JP.rte_1.6 - xlsmplib.msg.ja_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese IBM-eucJP
xlsmplib.msg.zh_CN.rte_1.6 - xlsmplib.msg.zh_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese
IBM-eucCN
xlsmplib.rte_1.6 - xlsmplib.rte 1.6.0.0 - SMP Runtime Library
```

=====
AIX V5.2 Expansion pack CD #3
=====

```
Java5_64.ext - Java5_64.ext 5.0.0.1 - Java SDK 64-bit Comm API Extension
Java5_64.msg.Ja_JP - Java5_64.msg.Ja_JP 5.0.0.1 - Java SDK 64-bit Locale/Messages - Japanese
Java5_64.msg.Zh_CN - Java5_64.msg.Zh_CN 5.0.0.1 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(GBK)
Java5_64.msg.Zh_TW - Java5_64.msg.Zh_TW 5.0.0.1 - Java SDK 64-bit Locale/Messages - Traditional Chinese
(big5)
Java5_64.msg.ja_JP - Java5_64.msg.ja_JP 5.0.0.1 - Java SDK 64-bit Locale/Messages - Japanese (IBM-eucJP)
Java5_64.msg.ko_KR - Java5_64.msg.ko_KR 5.0.0.1 - Java SDK 64-bit Locale/Messages - Korean
Java5_64.msg.zh_CN - Java5_64.msg.zh_CN 5.0.0.1 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(EUC)
Java5_64.msg.zh_TW - Java5_64.msg.zh_TW 5.0.0.1 - Java SDK 64-bit Locale/Messages - Traditional Chinese
Java5_64.samples - Java5_64.samples 5.0.0.25 - Java SDK 64-bit Samples
Java5_64.sdk - Java5_64.sdk 5.0.0.50 - Java SDK 64-bit
Java5_64.source - Java5_64.source 5.0.0.50 - Java SDK 64-bit Source
```

=====
AIX V5.2 Expansion pack DVD
=====

```
# ./GSKit.README contains XXX
# ./NAS.LICENSE.README contains XXX
# ./README.expansion contains XXX
# ./README.expansion.html contains XXX
# ./ismp/ppc/IHS2/IHS2.response contains XXX
# ./ismp/ppc/IHS2/gskit.sh contains XXX
# ./ismp/ppc/IHS2/gskta.rte contains XXX
# ./ismp/ppc/IHS2/license/LA_cs contains XXX
# ./ismp/ppc/IHS2/license/LA_de contains XXX
# ./ismp/ppc/IHS2/license/LA_en contains XXX
```

```
# ./ismp/ppc/IHS2/license/LA_es contains XXX
# ./ismp/ppc/IHS2/license/LA_fr contains XXX
# ./ismp/ppc/IHS2/license/LA_it contains XXX
# ./ismp/ppc/IHS2/license/LA_ja contains XXX
# ./ismp/ppc/IHS2/license/LA_ko contains XXX
# ./ismp/ppc/IHS2/license/LA_pl contains XXX
# ./ismp/ppc/IHS2/license/LA_pt contains XXX
# ./ismp/ppc/IHS2/license/LA_tr contains XXX
# ./ismp/ppc/IHS2/license/LA_zh contains XXX
# ./ismp/ppc/IHS2/license/LA_zh_TW contains XXX
# ./ismp/ppc/IHS2/license/LI_cs contains XXX
# ./ismp/ppc/IHS2/license/LI_de contains XXX
# ./ismp/ppc/IHS2/license/LI_en contains XXX
# ./ismp/ppc/IHS2/license/LI_es contains XXX
# ./ismp/ppc/IHS2/license/LI_fr contains XXX
# ./ismp/ppc/IHS2/license/LI_it contains XXX
# ./ismp/ppc/IHS2/license/LI_ja contains XXX
# ./ismp/ppc/IHS2/license/LI_ko contains XXX
# ./ismp/ppc/IHS2/license/LI_pl contains XXX
# ./ismp/ppc/IHS2/license/LI_pt contains XXX
# ./ismp/ppc/IHS2/license/LI_tr contains XXX
# ./ismp/ppc/IHS2/license/LI_zh contains XXX
# ./ismp/ppc/IHS2/license/LI_zh_TW contains XXX
# ./ismp/ppc/IHS2/media.inf contains XXX
# ./ismp/ppc/IHS2/readme/readme_de.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_en.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_es.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_fr.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_it.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_ja.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_ko.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_pt_BR.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_zh.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_zh_TW.html contains XXX
# ./ismp/ppc/IHS2/setup.jar contains XXX
# ./ismp/ppc/IHS2/silent.res contains XXX
# ./xlC.license.README.pdf contains XXX
# ./xlfrte.license.README.pdf contains XXX
Java131.adt - Java131.adt 1.3.1.15 - Java Application Development Debuggers
Java131.ext - Java131.ext 1.3.1.2 - Java Comm API Extension
Java131.msg.Ja_JP - Java131.msg.Ja_JP 1.3.1.0 - Java Locale & Messages - Japanese
Java131.msg.Zh_CN - Java131.msg.Zh_CN 1.3.1.0 - Java Locale & Messages - Simplified Chinese (GBK)
Java131.msg.Zh_TW - Java131.msg.Zh_TW 1.3.1.0 - Java Locale & Messages - Traditional Chinese (big5)
Java131.msg.ja_JP - Java131.msg.ja_JP 1.3.1.0 - Java Locale & Messages - Japanese (IBM-eucJP)
Java131.msg.ko_KR - Java131.msg.ko_KR 1.3.1.0 - Java Locale & Messages - Korean
Java131.msg.zh_CN - Java131.msg.zh_CN 1.3.1.0 - Java Locale & Messages - Simplified Chinese (EUC)
```

Java131.msg.zh_TW - Java131.msg.zh_TW 1.3.1.0 - Java Locale & Messages - Traditional Chinese
Java131.rte - Java131.rte 1.3.1.18 - Java Runtime Environment Executables
Java131.samples - Java131.samples 1.3.1.4 - Java Sample Demos
Java14_64.ext - Java14_64.ext 1.4.2.0 - Java SDK 64-bit Comm API Extension
Java14_64.license - Java14_64.license 1.4.2.0 - Java SDK 64-bit License
Java14_64.msg.Ja_JP - Java14_64.msg.Ja_JP 1.4.2.0 - Java SDK 64-bit Locale/Messages - Japanese
Java14_64.msg.Zh_CN - Java14_64.msg.Zh_CN 1.4.2.0 - Java SDK 64-bit Locale/Messages - Simplified Chinese (GBK)
Java14_64.msg.Zh_TW - Java14_64.msg.Zh_TW 1.4.2.0 - Java SDK 64-bit Locale/Messages - Traditional Chinese (big5)
Java14_64.msg.ja_JP - Java14_64.msg.ja_JP 1.4.2.0 - Java SDK 64-bit Locale/Messages - Japanese (IBM-eucJP)
Java14_64.msg.ko_KR - Java14_64.msg.ko_KR 1.4.2.0 - Java SDK 64-bit Locale/Messages - Korean
Java14_64.msg.zh_CN - Java14_64.msg.zh_CN 1.4.2.0 - Java SDK 64-bit Locale/Messages - Simplified Chinese (EUC)
Java14_64.msg.zh_TW - Java14_64.msg.zh_TW 1.4.2.0 - Java SDK 64-bit Locale/Messages - Traditional Chinese
Java14_64.samples - Java14_64.samples 1.4.2.0 - Java SDK 64-bit Samples
Java14_64.sdk - Java14_64.sdk 1.4.2.20 - Java SDK 64-bit
Java14_64.source - Java14_64.source 1.4.2.20 - Java SDK 64-bit Source
Java5.ext - Java5.ext 5.0.0.1 - Java SDK 32-bit Comm API Extension
Java5.msg.Ja_JP - Java5.msg.Ja_JP 5.0.0.1 - Java SDK 32-bit Locale/Messages - Japanese
Java5.msg.Zh_CN - Java5.msg.Zh_CN 5.0.0.1 - Java SDK 32-bit Locale/Messages - Simplified Chinese (GBK)
Java5.msg.Zh_TW - Java5.msg.Zh_TW 5.0.0.1 - Java SDK 32-bit Locale/Messages - Traditional Chinese (big5)
Java5.msg.ja_JP - Java5.msg.ja_JP 5.0.0.1 - Java SDK 32-bit Locale/Messages - Japanese (IBM-eucJP)
Java5.msg.ko_KR - Java5.msg.ko_KR 5.0.0.1 - Java SDK 32-bit Locale/Messages - Korean
Java5.msg.zh_CN - Java5.msg.zh_CN 5.0.0.1 - Java SDK 32-bit Locale/Messages - Simplified Chinese (EUC)
Java5.msg.zh_TW - Java5.msg.zh_TW 5.0.0.1 - Java SDK 32-bit Locale/Messages - Traditional Chinese
Java5.samples - Java5.samples 5.0.0.25 - Java SDK 32-bit Samples
Java5.sdk - Java5.sdk 5.0.0.50 - Java SDK 32-bit
Java5.source - Java5.source 5.0.0.50 - Java SDK 32-bit Source
Java5_64.ext - Java5_64.ext 5.0.0.1 - Java SDK 64-bit Comm API Extension
Java5_64.msg.Ja_JP - Java5_64.msg.Ja_JP 5.0.0.1 - Java SDK 64-bit Locale/Messages - Japanese
Java5_64.msg.Zh_CN - Java5_64.msg.Zh_CN 5.0.0.1 - Java SDK 64-bit Locale/Messages - Simplified Chinese (GBK)
Java5_64.msg.Zh_TW - Java5_64.msg.Zh_TW 5.0.0.1 - Java SDK 64-bit Locale/Messages - Traditional Chinese (big5)
Java5_64.msg.ja_JP - Java5_64.msg.ja_JP 5.0.0.1 - Java SDK 64-bit Locale/Messages - Japanese (IBM-eucJP)
Java5_64.msg.ko_KR - Java5_64.msg.ko_KR 5.0.0.1 - Java SDK 64-bit Locale/Messages - Korean
Java5_64.msg.zh_CN - Java5_64.msg.zh_CN 5.0.0.1 - Java SDK 64-bit Locale/Messages - Simplified Chinese (EUC)
Java5_64.msg.zh_TW - Java5_64.msg.zh_TW 5.0.0.1 - Java SDK 64-bit Locale/Messages - Traditional Chinese
Java5_64.samples - Java5_64.samples 5.0.0.25 - Java SDK 64-bit Samples
Java5_64.sdk - Java5_64.sdk 5.0.0.50 - Java SDK 64-bit
Java5_64.source - Java5_64.source 5.0.0.50 - Java SDK 64-bit Source
bos.crypto-priv - bos.crypto-priv 5.2.0.0 - DES and Triple DES Encryption for IP Security
bos.rte.security_5.2.0.11.bff - bos 5.2.0.11 - Base Security Function
cas.client - cas.client 5.2.0.50 - Certificate Authentication Services Client

cas.msg.CA_ES - cas.msg.CA_ES 5.2.0.50 - Cert Auth Serv Client Messages - Catalan (UTF)
 cas.msg.CS_CZ - cas.msg.CS_CZ 5.2.0.50 - Cert Auth Serv Client Messages - Czech (UTF)
 cas.msg.DE_DE - cas.msg.DE_DE 5.2.0.50 - Cert Auth Serv Client Messages - German (UTF)
 cas.msg.EN_US - cas.msg.EN_US 5.2.0.50 - Cert Auth Serv Client Messages - U.S. English (UTF)
 cas.msg.ES_ES - cas.msg.ES_ES 5.2.0.50 - Cert Auth Serv Client Messages - Spanish (UTF)
 cas.msg.FR_FR - cas.msg.FR_FR 5.2.0.50 - Cert Auth Serv Client Messages - French (UTF)
 cas.msg.HU_HU - cas.msg.HU_HU 5.2.0.50 - Cert Auth Serv Client Messages - Hungarian (UTF)
 cas.msg.IT_IT - cas.msg.IT_IT 5.2.0.50 - Cert Auth Serv Client Messages - Italian (UTF)
 cas.msg.JA_JP - cas.msg.JA_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese (UTF)
 cas.msg.Ja_JP - cas.msg.Ja_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese
 cas.msg.KO_KR - cas.msg.KO_KR 5.2.0.50 - Cert Auth Serv Client Messages - Korean (UTF)
 cas.msg.PL_PL - cas.msg.PL_PL 5.2.0.50 - Cert Auth Serv Client Messages - Polish (UTF)
 cas.msg.PT_BR - cas.msg.PT_BR 5.2.0.50 - Cert Auth Serv Client Messages - Brazilian Portuguese (UTF)
 cas.msg.RU_RU - cas.msg.RU_RU 5.2.0.50 - Cert Auth Serv Client Messages - Russian (UTF)
 cas.msg.SK_SK - cas.msg.SK_SK 5.2.0.50 - Cert Auth Serv Client Messages - Slovak (UTF)
 cas.msg.ZH_CN - cas.msg.ZH_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (UTF)
 cas.msg.ZH_TW - cas.msg.ZH_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese (UTF)
 cas.msg.Zh_CN - cas.msg.Zh_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (GBK)
 cas.msg.Zh_TW - cas.msg.Zh_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese (big5)
 cas.msg.ca_ES - cas.msg.ca_ES 5.2.0.50 - Cert Auth Serv Client Messages - Catalan
 cas.msg.cs_CZ - cas.msg.cs_CZ 5.2.0.50 - Cert Auth Serv Client Messages - Czech
 cas.msg.de_DE - cas.msg.de_DE 5.2.0.50 - Cert Auth Serv Client Messages - German
 cas.msg.en_US - cas.msg.en_US 5.2.0.50 - Cert Auth Serv Client Messages - U.S. English
 cas.msg.es_ES - cas.msg.es_ES 5.2.0.50 - Cert Auth Serv Client Messages - Spanish
 cas.msg.fr_FR - cas.msg.fr_FR 5.2.0.50 - Cert Auth Serv Client Messages - French
 cas.msg.hu_HU - cas.msg.hu_HU 5.2.0.50 - Cert Auth Serv Client Messages - Hungarian
 cas.msg.it_IT - cas.msg.it_IT 5.2.0.50 - Cert Auth Serv Client Messages - Italian
 cas.msg.ja_JP - cas.msg.ja_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese IBM-eucJP
 cas.msg.ko_KR - cas.msg.ko_KR 5.2.0.50 - Cert Auth Serv Client Messages - Korean
 cas.msg.pl_PL - cas.msg.pl_PL 5.2.0.50 - Cert Auth Serv Client Messages - Polish
 cas.msg.pt_BR - cas.msg.pt_BR 5.2.0.50 - Cert Auth Serv Client Messages - Brazilian Portuguese
 cas.msg.ru_RU - cas.msg.ru_RU 5.2.0.50 - Cert Auth Serv Client Messages - Russian
 cas.msg.sk_SK - cas.msg.sk_SK 5.2.0.50 - Cert Auth Serv Client Messages - Slovak
 cas.msg.zh_CN - cas.msg.zh_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (EUC)
 cas.msg.zh_TW - cas.msg.zh_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese
 cas.server - cas.server 5.2.0.50 - Certificate Authentication Services Server
 clic.rte - clic.rte 3.23.0.0 - CryptoLite for C Library
 db2_08_01.ca - db2_08_01.ca 8.1.1.16 - Configuration Assistant
 db2_08_01.cc - db2_08_01.cc 8.1.1.16 - Control Center
 db2_08_01.ch.en_US.iso88591 - db2_08_01.ch.en_US.iso88591 8.1.1.16 - Control Center Help (HTML) -
 en_US.iso88591
 db2_08_01.cj - db2_08_01.cj 8.1.1.16 - Java Common files
 db2_08_01.client - db2_08_01.client 8.1.1.16 - Base Client Support
 db2_08_01.cnvucs - db2_08_01.cnvucs 8.1.1.16 - Code Page Conversion Tables - Unicode Support
 db2_08_01.conn - db2_08_01.conn 8.1.1.16 - Connect Support
 db2_08_01.conv - db2_08_01.conv 8.1.1.16 - Code Page Conversion Tables

db2_08_01.cs.rte - db2_08_01.cs.rte 8.1.1.16 - Communication Support - TCP/IP
 db2_08_01.das - db2_08_01.das 8.1.1.16 - Administration Server
 db2_08_01.db2.engn - db2_08_01.db2.engn 8.1.1.16 - Base DB2 UDB Support
 db2_08_01.db2.rte - db2_08_01.db2.rte 8.1.1.16 - Run-time Environment
 db2_08_01.db2.samples - db2_08_01.db2.samples 8.1.1.16 - Sample Database Source
 db2_08_01.essg - db2_08_01.essg 8.1.1.16 - Product Signature for DB2 UDB Enterprise Server Edition
 db2_08_01.icuc - db2_08_01.icuc 8.1.1.16 - ICU Collation
 db2_08_01.icut - db2_08_01.icut 8.1.1.16 - ICU Utilities
 db2_08_01.jdbc - db2_08_01.jdbc 8.1.1.16 - Java Support
 db2_08_01.jhlp.en_US.iso88591 - db2_08_01.jhlp.en_US.iso88591 8.1.1.16 - Java Help (HTML) - en_US.iso88591
 db2_08_01.ldap - db2_08_01.ldap 8.1.1.16 - DB2 LDAP Support
 db2_08_01.msg.en_US.iso88591 - db2_08_01.msg.en_US.iso88591 8.1.1.16 - Product Messages - en_US.iso88591
 db2_08_01.pext - db2_08_01.pext 8.1.1.16 - Parallel Extension
 db2_08_01.repl - db2_08_01.repl 8.1.1.16 - Replication
 db2_08_01.sqlproc - db2_08_01.sqlproc 8.1.1.16 - SQL Procedures
 rsct.crypt.des - rsct.crypt.des 2.3.9.0 - RSCT Security DES Encryption Modules
 rsct.crypt.3des - rsct.crypt.3des 2.3.9.0 - RSCT Security Triple-DES Encryption Modules
 des - des 5.2.0.1 - Data Encryption Standard Library Routines
 gskak.rte - gskak 6.0.5.41 - AIX Certificate and SSL Base Runtime ACME Toolkit
 gskkm.rte - gskkm 5.0.5.92 - AIX Certificate and SSL Base Runtime ACME Toolkit
 gskta.rte - gskta 7.0.1.16 - AIX Certificate and SSL Base Runtime ACME Toolkit
 krb5.client - krb5.client 1.4.0.4 - Network Authentication Service Client
 krb5.doc.Ja_JP - krb5.doc.Ja_JP 1.4.0.4 - Network Auth Service PDF Documentation - Japanese
 krb5.doc.en_US - krb5.doc.en_US 1.4.0.4 - Network Auth Service PDF Documentation - U.S. English
 krb5.doc.ko_KR - krb5.doc.ko_KR 1.4.0.4 - Network Auth Service PDF Documentation - Korean
 krb5.doc.zh_CN - krb5.doc.zh_CN 1.4.0.4 - Network Auth Service PDF Documentation - Simplified Chinese
 krb5.lic - krb5.lic 1.4.0.4 - Network Authentication Service License
 krb5.msg.CA_ES - krb5.msg.CA_ES 1.4.0.4 - Network Auth Service Client Msgs - Catalan (UTF)
 krb5.msg.DE_CH - krb5.msg.DE_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss German (UTF)
 krb5.msg.DE_DE - krb5.msg.DE_DE 1.4.0.4 - Network Auth Service Client Msgs - German (UTF)
 krb5.msg.EN_US - krb5.msg.EN_US 1.4.0.4 - Network Auth Service Client Msgs - U.S. English (UTF)
 krb5.msg.ES_ES - krb5.msg.ES_ES 1.4.0.4 - Network Auth Service Client Msgs - Spanish (UTF)
 krb5.msg.FR_CA - krb5.msg.FR_CA 1.4.0.4 - Network Auth Service Client Msgs - Canadian French (UTF)
 krb5.msg.FR_CH - krb5.msg.FR_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss French (UTF)
 krb5.msg.FR_FR - krb5.msg.FR_FR 1.4.0.4 - Network Auth Service Client Msgs - French (UTF)
 krb5.msg.IT_CH - krb5.msg.IT_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss Italian (UTF)
 krb5.msg.IT_IT - krb5.msg.IT_IT 1.4.0.4 - Network Auth Service Client Msgs - Italian (UTF)
 krb5.msg.JA_JP - krb5.msg.JA_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese (UTF)
 krb5.msg.Ja_JP - krb5.msg.Ja_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese
 krb5.msg.KO_KR - krb5.msg.KO_KR 1.4.0.4 - Network Auth Service Client Msgs - Korean (UTF)
 krb5.msg.PT_BR - krb5.msg.PT_BR 1.4.0.4 - Network Auth Service Client Msgs - Braz Portuguese (UTF)
 krb5.msg.ZH_CN - krb5.msg.ZH_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (UTF)
 krb5.msg.ZH_TW - krb5.msg.ZH_TW 1.4.0.4 - Network Auth Service Client Msgs - Traditional Chinese (UTF)
 krb5.msg.Zh_CN - krb5.msg.Zh_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (GBK)
 krb5.msg.Zh_TW - krb5.msg.Zh_TW 1.4.0.4 - Network Auth Service Client Msgs - T-Chinese (big5)
 krb5.msg.ca_ES - krb5.msg.ca_ES 1.4.0.4 - Network Auth Service Client Msgs - Catalan

krb5.msg.de_CH - krb5.msg.de_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss German
 krb5.msg.de_DE - krb5.msg.de_DE 1.4.0.4 - Network Auth Service Client Msgs - German
 krb5.msg.en_US - krb5.msg.en_US 1.4.0.4 - Network Auth Service Client Msgs - U.S. English
 krb5.msg.es_ES - krb5.msg.es_ES 1.4.0.4 - Network Auth Service Client Msgs - Spanish
 krb5.msg.fr_CA - krb5.msg.fr_CA 1.4.0.4 - Network Auth Service Client Msgs - Canadian French
 krb5.msg.fr_CH - krb5.msg.fr_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss French
 krb5.msg.fr_FR - krb5.msg.fr_FR 1.4.0.4 - Network Auth Service Client Msgs - French
 krb5.msg.it_IT - krb5.msg.it_IT 1.4.0.4 - Network Auth Service Client Msgs - Italian
 krb5.msg.ja_JP - krb5.msg.ja_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese (IBM-eucJP)
 krb5.msg.ko_KR - krb5.msg.ko_KR 1.4.0.4 - Network Auth Service Client Msgs - Korean
 krb5.msg.pt_BR - krb5.msg.pt_BR 1.4.0.4 - Network Auth Service Client Msgs - Brazilian Portuguese
 krb5.msg.zh_CN - krb5.msg.zh_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (EUC)
 krb5.msg.zh_TW - krb5.msg.zh_TW 1.4.0.4 - Network Auth Service Client Msgs - Traditional Chinese
 krb5.server - krb5.server 1.4.0.4 - Network Authentication Service Server
 krb5.toolkit - krb5.toolkit 1.4.0.4 - Network Authentication Service App. Dev. Toolkit
 ldap.client - ldap.client 5.2.0.0 - Directory Client SDK
 ldap.html.Ja_JP - ldap.html.Ja_JP 5.2.0.0 - Directory Man Pages - Japanese
 ldap.html.Zh_CN - ldap.html.Zh_CN 5.2.0.0 - Directory Man Pages - Simplified Chinese, GBK
 ldap.html.Zh_TW - ldap.html.Zh_TW 5.2.0.0 - Directory Man Pages - Big5
 ldap.html.cs_CZ - ldap.html.cs_CZ 5.2.0.0 - Directory Man Pages - Czech
 ldap.html.de_DE - ldap.html.de_DE 5.2.0.0 - Directory Man Pages - German
 ldap.html.en_US - ldap.html.en_US 5.2.0.0 - Directory Man Pages - U.S. English
 ldap.html.es_ES - ldap.html.es_ES 5.2.0.0 - Directory Man Pages - Spanish
 ldap.html.fr_FR - ldap.html.fr_FR 5.2.0.0 - Directory Man Pages - French
 ldap.html.hu_HU - ldap.html.hu_HU 5.2.0.0 - Directory Man Pages - Hungarian
 ldap.html.it_IT - ldap.html.it_IT 5.2.0.0 - Directory Man Pages - Italian
 ldap.html.ja_JP - ldap.html.ja_JP 5.2.0.0 - Directory Man Pages - Japanese
 ldap.html.ko_KR - ldap.html.ko_KR 5.2.0.0 - Directory Man Pages - Korean
 ldap.html.pl_PL - ldap.html.pl_PL 5.2.0.0 - Directory Man Pages - Polish
 ldap.html.pt_BR - ldap.html.pt_BR 5.2.0.0 - Directory Man Pages - Brazilian Portuguese
 ldap.html.ru_RU - ldap.html.ru_RU 5.2.0.0 - Directory Man Pages - Russian
 ldap.html.sk_SK - ldap.html.sk_SK 5.2.0.0 - Directory Man Pages - Slovakian
 ldap.html.zh_TW - ldap.html.zh_TW 5.2.0.0 - Directory Man Pages - Traditional Chinese
 ldap.max_crypto_client - ldap.max_crypto_client 5.2.0.0 - Directory Client Runtime (SSL)
 ldap.max_crypto_server - ldap.max_crypto_server 5.2.0.0 - Directory Server Framework (SSL)
 ldap.max_crypto_webadmin - ldap.max_crypto_webadmin 5.2.0.0 - Directory Administrative Interface (SSL)
 ldap.msg.Ja_JP - ldap.msg.Ja_JP 5.2.0.0 - Directory Messages - Japanese
 ldap.msg.Zh_CN - ldap.msg.Zh_CN 5.2.0.0 - Directory Messages - Simplified Chinese (GBK)
 ldap.msg.Zh_TW - ldap.msg.Zh_TW 5.2.0.0 - Directory Messages - Traditional Chinese (big5)
 ldap.msg.cs_CZ - ldap.msg.cs_CZ 5.2.0.0 - Directory Messages - Czech
 ldap.msg.de_DE - ldap.msg.de_DE 5.2.0.0 - Directory Messages - German
 ldap.msg.en_US - ldap.msg.en_US 5.2.0.0 - Directory Messages - U.S. English
 ldap.msg.es_ES - ldap.msg.es_ES 5.2.0.0 - Directory Messages - Spanish
 ldap.msg.fr_FR - ldap.msg.fr_FR 5.2.0.0 - Directory Messages - French
 ldap.msg.hu_HU - ldap.msg.hu_HU 5.2.0.0 - Directory Messages - Hungarian
 ldap.msg.it_IT - ldap.msg.it_IT 5.2.0.0 - Directory Messages - Italian

ldap.msg.ja_JP - ldap.msg.ja_JP 5.2.0.0 - Directory Messages - Japanese IBM-eucJP
 ldap.msg.ko_KR - ldap.msg.ko_KR 5.2.0.0 - Directory Messages - Korean
 ldap.msg.pl_PL - ldap.msg.pl_PL 5.2.0.0 - Directory Messages - Polish
 ldap.msg.pt_BR - ldap.msg.pt_BR 5.2.0.0 - Directory Messages - Brazilian Portuguese
 ldap.msg.ru_RU - ldap.msg.ru_RU 5.2.0.0 - Directory Messages - Russian
 ldap.msg.sk_SK - ldap.msg.sk_SK 5.2.0.0 - Directory Messages - Slovak
 ldap.msg.zh_TW - ldap.msg.zh_TW 5.2.0.0 - Directory Messages - Traditional Chinese
 ldap.server - ldap.server 5.2.0.0 - Directory Server Framework (No SSL)
 ldap.webadmin - ldap.webadmin 5.2.0.0 - Directory Administrative Interface
 ldap41.max_crypto_client - ldap.max_crypto_client 4.1.0.0 - IBM Directory Client Runtime (SSL)
 ldap41.max_crypto_server - ldap.max_crypto_server 4.1.0.0 - IBM Directory Server Framework (SSL)
 modcrypt.base - modcrypt.base 5.2.0.0 - Cryptographic Library
 openssh.base - openssh.base 4.3.0.5200 - Open Secure Shell Server
 openssh.license - openssh.license 4.3.0.5200 - Open Secure Shell License
 openssh.man.en_US - openssh.man.en_US 4.3.0.5200 - Open Secure Shell Documentation - U.S. English
 openssh.msg.CA_ES - openssh.msg.CA_ES 4.3.0.5200 - Open Secure Shell Messages - Catalan (UTF)
 openssh.msg.CS_CZ - openssh.msg.CS_CZ 4.3.0.5200 - Open Secure Shell Messages - Czech (UTF)
 openssh.msg.DE_DE - openssh.msg.DE_DE 4.3.0.5200 - Open Secure Shell Messages - German (UTF)
 openssh.msg.EN_US - openssh.msg.EN_US 4.3.0.5200 - Open Secure Shell Messages - U.S. English (UTF)
 openssh.msg.ES_ES - openssh.msg.ES_ES 4.3.0.5200 - Open Secure Shell Messages - Spanish (UTF)
 openssh.msg.FR_FR - openssh.msg.FR_FR 4.3.0.5200 - Open Secure Shell Messages - French (UTF)
 openssh.msg.HU_HU - openssh.msg.HU_HU 4.3.0.5200 - Open Secure Shell Messages - Hungarian (UTF)
 openssh.msg.IT_IT - openssh.msg.IT_IT 4.3.0.5200 - Open Secure Shell Messages - Italian (UTF)
 openssh.msg.JA_JP - openssh.msg.JA_JP 4.3.0.5200 - Open Secure Shell Messages - Japanese (UTF)
 openssh.msg.Ja_JP - openssh.msg.Ja_JP 4.3.0.5200 - Open Secure Shell Messages - Japanese
 openssh.msg.KO_KR - openssh.msg.KO_KR 4.3.0.5200 - Open Secure Shell Messages - Korean (UTF)
 openssh.msg.PL_PL - openssh.msg.PL_PL 4.3.0.5200 - Open Secure Shell Messages - Polish (UTF)
 openssh.msg.PT_BR - openssh.msg.PT_BR 4.3.0.5200 - Open Secure Shell Messages - Brazilian Portuguese (UTF)
 openssh.msg.RU_RU - openssh.msg.RU_RU 4.3.0.5200 - Open Secure Shell Messages - Russian (UTF)
 openssh.msg.SK_SK - openssh.msg.SK_SK 4.3.0.5200 - Open Secure Shell Messages - Slovak (UTF)
 openssh.msg.ZH_CN - openssh.msg.ZH_CN 4.3.0.5200 - Open Secure Shell Messages - Simplified Chinese (UTF)
 openssh.msg.ZH_TW - openssh.msg.ZH_TW 4.3.0.5200 - Open Secure Shell Messages - Traditional Chinese (UTF)
 openssh.msg.Zh_CN - openssh.msg.Zh_CN 4.3.0.5200 - Open Secure Shell Messages - Simplified Chinese (GBK)
 openssh.msg.Zh_TW - openssh.msg.Zh_TW 4.3.0.5200 - Open Secure Shell Messages - Traditional Chinese (big5)
 openssh.msg.ca_ES - openssh.msg.ca_ES 4.3.0.5200 - Open Secure Shell Messages - Catalan
 openssh.msg.cs_CZ - openssh.msg.cs_CZ 4.3.0.5200 - Open Secure Shell Messages - Czech
 openssh.msg.de_DE - openssh.msg.de_DE 4.3.0.5200 - Open Secure Shell Messages - German
 openssh.msg.en_US - openssh.msg.en_US 4.3.0.5200 - Open Secure Shell Messages - U.S. English
 openssh.msg.es_ES - openssh.msg.es_ES 4.3.0.5200 - Open Secure Shell Messages - Spanish
 openssh.msg.fr_FR - openssh.msg.fr_FR 4.3.0.5200 - Open Secure Shell Messages - French
 openssh.msg.hu_HU - openssh.msg.hu_HU 4.3.0.5200 - Open Secure Shell Messages - Hungarian
 openssh.msg.it_IT - openssh.msg.it_IT 4.3.0.5200 - Open Secure Shell Messages - Italian
 openssh.msg.ja_JP - openssh.msg.ja_JP 4.3.0.5200 - Open Secure Shell Messages - Japanese IBM-eucJP
 openssh.msg.ko_KR - openssh.msg.ko_KR 4.3.0.5200 - Open Secure Shell Messages - Korean
 openssh.msg.pl_PL - openssh.msg.pl_PL 4.3.0.5200 - Open Secure Shell Messages - Polish
 openssh.msg.pt_BR - openssh.msg.pt_BR 4.3.0.5200 - Open Secure Shell Messages - Brazilian Portuguese

openssh.msg.ru_RU - openssh.msg.ru_RU 4.3.0.5200 - Open Secure Shell Messages - Russian
 openssh.msg.sk_SK - openssh.msg.sk_SK 4.3.0.5200 - Open Secure Shell Messages - Slovak
 openssh.msg.zh_CN - openssh.msg.zh_CN 4.3.0.5200 - Open Secure Shell Messages - Simplified Chinese
 openssh.msg.zh_TW - openssh.msg.zh_TW 4.3.0.5200 - Open Secure Shell Messages - Traditional Chinese
 rsct.crypt.3des - rsct.crypt.3des 2.3.9.0 - RSCT Security Triple-DES Encryption Modules
 rsct.crypt.aes128 - rsct.crypt.aes128 2.3.9.0 - RSCT Security AES 128-Bit Encryption Modules
 rsct.crypt.aes256 - rsct.crypt.aes256 2.3.9.0 - RSCT Security AES 256-Bit Encryption Modules
 rsct.crypt.des - rsct.crypt.des 2.3.9.0 - RSCT Security DES Encryption Modules
 rsct.crypt.rsa1024 - rsct.crypt.rsa1024 2.3.9.0 - RSCT Security RSA 1024-Bit Encryption Modules
 rsct.crypt.rsa512 - rsct.crypt.rsa512 2.3.9.0 - RSCT Security RSA 512-Bit Encryption Modules
 rsct.exp - rsct.exp 2.3.9.0 - RSCT CIM Resource Manager
 snmp.crypto - snmp.crypto 5.2.0.0 - 56-bit DES Encrypted SNMPV3 Support
 svcagent.client - svcagent.client 3.1.0.0 - Electronic Service Agent Client
 svcagent.cm - svcagent.cm 3.1.0.0 - Electronic Service Agent Connection Manager
 svcagent.help.en_US - svcagent.help.en_US 3.1.0.0 - Electronic Service Agent Help
 svcagent.msg.en_US - svcagent.msg.en_US 3.1.0.0 - Electronic Service Agent
 svcagent.server - svcagent.server 3.1.0.0 - Electronic Service Agent
 sysmgt.pegasus.cimserver - sysmgt.pegasus.cimserver 2.5.1.0 - Pegasus CIM Server Runtime Environment
 sysmgt.pegasus.osbaseproviders - sysmgt.pegasus.osbaseproviders 1.2.6.0 - Base Providers for AIX OS
 sysmgt.pegasus.smisproviders - sysmgt.pegasus.smisproviders 1.1.0.0 - SMI-S Providers for AIX OS
 sysmgt.websm.security-us - sysmgt.websm.security-us 5.2.0.30 - Web-based System Manager Security for US
 sysmgt.websm.security - sysmgt.websm.security 5.2.0.30 - Web-based System Manager Security
 sysmgt.websm.security-us - sysmgt.websm.security-us 5.2.0.30 - Web-based System Manager Security for US
 tts_access.base.en_US - tts_access.base.en_US 6.7.4.0 - IBM Text-to-Speech runtime - U.S. English
 tts_access.base - tts_access.base 6.7.4.0 - IBM Text-to-Speech runtime base
 tts_access.base.en_US - tts_access.base.en_US 6.7.4.0 - IBM Text-to-Speech runtime - U.S. English
 xlC.aix50_8 - xlC.aix50 8.0.0.4 - C Set ++ Runtime for AIX 5.
 xlC.msg.Ja_JP_8 - xlC.msg.Ja_JP 8.0.0.4 - C Set ++ Runtime Messages--Japanese
 xlC.msg.en_US_8 - xlC.msg.en_US 8.0.0.4 - C Set ++ Runtime Messages--U.S. English
 xlC.msg.ja_JP_8 - xlC.msg.ja_JP 8.0.0.4 - C Set ++ Runtime Messages--Japanese IBM-eucJP
 xlC.rte_8 - xlC.rte 8.0.0.4 - C Set ++ Runtime
 xlfрте.aix51_10.1 - xlfрте.aix51 10.1.0.1 - XL Fortran Runtime Environment AIX 5.1 Libraries
 xlfрте.msg.EN_US_10.1 - xlfрте.msg.EN_US 10.1.0.1 - XL Fortran Runtime Environment Messages - U.S. English
 UTF-8
 xlfрте.msg.JA_JP_10.1 - xlfрте.msg.JA_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
 UTF-8
 xlfрте.msg.Ja_JP_10.1 - xlfрте.msg.Ja_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
 xlfрте.msg.en_US_10.1 - xlfрте.msg.en_US 10.1.0.1 - XL Fortran Runtime Messages - U.S. English
 xlfрте.msg.ja_JP_10.1 - xlfрте.msg.ja_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
 IBM-eucJP
 xlfрте_10.1 - xlfрте 10.1.0.1 - XL Fortran Runtime Environment
 xlsmp.aix50.rte_1.6 - xlsmp.aix50.rte 1.6.0.0 - SMP Runtime Libraries for AIX 5.
 xlsmp.msg.EN_US.rte_1.6 - xlsmp.msg.EN_US.rte 1.6.0.0 - XL SMP Runtime Messages - U.S. English UTF-8
 xlsmp.msg.JA_JP.rte_1.6 - xlsmp.msg.JA_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese UTF-8
 xlsmp.msg.Ja_JP.rte_1.6 - xlsmp.msg.Ja_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese
 xlsmp.msg.ZH_CN.rte_1.6 - xlsmp.msg.ZH_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese UTF-8

```
xlsmp.msg.zh_CN.rte_1.6 - xlsmp.msg.zh_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese
xlsmp.msg.en_US.rte_1.6 - xlsmp.msg.en_US.rte 1.6.0.0 - XL SMP Runtime Messages - U.S. English
xlsmp.msg.ja_JP.rte_1.6 - xlsmp.msg.ja_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese IBM-eucJP
xlsmp.msg.zh_CN.rte_1.6 - xlsmp.msg.zh_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese
IBM-eucCN
xlsmp.rte_1.6 - xlsmp.rte 1.6.0.0 - SMP Runtime Library
```

=====
AIX V5.3 Expansion pack CD #1
=====

```
(newFile)REUSING /dist/fs18/.toc.X113X for /dist/prod/5692-A5L-0968/20060804/images/inst.images/.tocsave
(newFile)NEW FILE /dist/fs10/.toc.X131X for /dist/prod/5692-A5L-0968/20060804/images/inst.images/.toc
# ./GSKit.README contains XXX
# ./README.expansion contains XXX
# ./README.expansion.html contains XXX
# ./ismp/ppc/IHS2/IHS2.response contains XXX
# ./ismp/ppc/IHS2/gskit.sh contains XXX
# ./ismp/ppc/IHS2/gskta.rte contains XXX
# ./ismp/ppc/IHS2/license/LA_cs contains XXX
# ./ismp/ppc/IHS2/license/LA_de contains XXX
# ./ismp/ppc/IHS2/license/LA_en contains XXX
# ./ismp/ppc/IHS2/license/LA_es contains XXX
# ./ismp/ppc/IHS2/license/LA_fr contains XXX
# ./ismp/ppc/IHS2/license/LA_it contains XXX
# ./ismp/ppc/IHS2/license/LA_ja contains XXX
# ./ismp/ppc/IHS2/license/LA_ko contains XXX
# ./ismp/ppc/IHS2/license/LA_pl contains XXX
# ./ismp/ppc/IHS2/license/LA_pt contains XXX
# ./ismp/ppc/IHS2/license/LA_tr contains XXX
# ./ismp/ppc/IHS2/license/LA_zh contains XXX
# ./ismp/ppc/IHS2/license/LA_zh_TW contains XXX
# ./ismp/ppc/IHS2/license/LI_cs contains XXX
# ./ismp/ppc/IHS2/license/LI_de contains XXX
# ./ismp/ppc/IHS2/license/LI_en contains XXX
# ./ismp/ppc/IHS2/license/LI_es contains XXX
# ./ismp/ppc/IHS2/license/LI_fr contains XXX
# ./ismp/ppc/IHS2/license/LI_it contains XXX
# ./ismp/ppc/IHS2/license/LI_ja contains XXX
# ./ismp/ppc/IHS2/license/LI_ko contains XXX
# ./ismp/ppc/IHS2/license/LI_pl contains XXX
# ./ismp/ppc/IHS2/license/LI_pt contains XXX
# ./ismp/ppc/IHS2/license/LI_tr contains XXX
# ./ismp/ppc/IHS2/license/LI_zh contains XXX
# ./ismp/ppc/IHS2/license/LI_zh_TW contains XXX
```

```
# ./ismp/ppc/IHS2/media.inf contains XXX
# ./ismp/ppc/IHS2/readme/readme_de.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_en.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_es.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_fr.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_it.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_ja.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_ko.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_pt_BR.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_zh.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_zh_TW.html contains XXX
# ./ismp/ppc/IHS2/setup.jar contains XXX
# ./ismp/ppc/IHS2/silent.res contains XXX
# ./xlC.license.README.pdf contains XXX
# ./xlfrte.license.README.pdf contains XXX
Java14_64.ext - Java14_64.ext 1.4.2.0 - Java SDK 64-bit Comm API Extension
Java14_64.license - Java14_64.license 1.4.2.0 - Java SDK 64-bit License
Java14_64.msg.Ja_JP - Java14_64.msg.Ja_JP 1.4.2.0 - Java SDK 64-bit Locale/Messages - Japanese
Java14_64.msg.Zh_CN - Java14_64.msg.Zh_CN 1.4.2.0 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(GBK)
Java14_64.msg.Zh_TW - Java14_64.msg.Zh_TW 1.4.2.0 - Java SDK 64-bit Locale/Messages - Traditional Chinese
(big5)
Java14_64.msg.ja_JP - Java14_64.msg.ja_JP 1.4.2.0 - Java SDK 64-bit Locale/Messages - Japanese (IBM-eucJP)
Java14_64.msg.ko_KR - Java14_64.msg.ko_KR 1.4.2.0 - Java SDK 64-bit Locale/Messages - Korean
Java14_64.msg.zh_CN - Java14_64.msg.zh_CN 1.4.2.0 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(EUC)
Java14_64.msg.zh_TW - Java14_64.msg.zh_TW 1.4.2.0 - Java SDK 64-bit Locale/Messages - Traditional Chinese
Java14_64.samples - Java14_64.samples 1.4.2.0 - Java SDK 64-bit Samples
Java14_64.sdk - Java14_64.sdk 1.4.2.75 - Java SDK 64-bit
Java14_64.source - Java14_64.source 1.4.2.75 - Java SDK 64-bit Source
Java5.ext - Java5.ext 5.0.0.1 - Java SDK 32-bit Comm API Extension
Java5.msg.Ja_JP - Java5.msg.Ja_JP 5.0.0.1 - Java SDK 32-bit Locale/Messages - Japanese
Java5.msg.Zh_CN - Java5.msg.Zh_CN 5.0.0.1 - Java SDK 32-bit Locale/Messages - Simplified Chinese (GBK)
Java5.msg.Zh_TW - Java5.msg.Zh_TW 5.0.0.1 - Java SDK 32-bit Locale/Messages - Traditional Chinese (big5)
Java5.msg.ja_JP - Java5.msg.ja_JP 5.0.0.1 - Java SDK 32-bit Locale/Messages - Japanese (IBM-eucJP)
Java5.msg.ko_KR - Java5.msg.ko_KR 5.0.0.1 - Java SDK 32-bit Locale/Messages - Korean
Java5.msg.zh_CN - Java5.msg.zh_CN 5.0.0.1 - Java SDK 32-bit Locale/Messages - Simplified Chinese (EUC)
Java5.msg.zh_TW - Java5.msg.zh_TW 5.0.0.1 - Java SDK 32-bit Locale/Messages - Traditional Chinese
Java5.samples - Java5.samples 5.0.0.25 - Java SDK 32-bit Samples
Java5.sdk - Java5.sdk 5.0.0.50 - Java SDK 32-bit
Java5.source - Java5.source 5.0.0.50 - Java SDK 32-bit Source
Java5_64.ext - Java5_64.ext 5.0.0.1 - Java SDK 64-bit Comm API Extension
Java5_64.msg.Ja_JP - Java5_64.msg.Ja_JP 5.0.0.1 - Java SDK 64-bit Locale/Messages - Japanese
Java5_64.msg.Zh_CN - Java5_64.msg.Zh_CN 5.0.0.1 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(GBK)
```

Java5_64.msg.zh_TW - Java5_64.msg.zh_TW 5.0.0.1 - Java SDK 64-bit Locale/Messages - Traditional Chinese (big5)
 Java5_64.msg.ja_JP - Java5_64.msg.ja_JP 5.0.0.1 - Java SDK 64-bit Locale/Messages - Japanese (IBM-eucJP)
 Java5_64.msg.ko_KR - Java5_64.msg.ko_KR 5.0.0.1 - Java SDK 64-bit Locale/Messages - Korean
 Java5_64.msg.zh_CN - Java5_64.msg.zh_CN 5.0.0.1 - Java SDK 64-bit Locale/Messages - Simplified Chinese (EUC)
 Java5_64.msg.zh_TW - Java5_64.msg.zh_TW 5.0.0.1 - Java SDK 64-bit Locale/Messages - Traditional Chinese
 Java5_64.samples - Java5_64.samples 5.0.0.25 - Java SDK 64-bit Samples
 Java5_64.sdk - Java5_64.sdk 5.0.0.50 - Java SDK 64-bit
 Java5_64.source - Java5_64.source 5.0.0.50 - Java SDK 64-bit Source
 bos.crypto-priv - bos.crypto-priv 5.3.0.50 - DES, Triple DES and AES Encryption for IP Security
 cas.client - cas.client 5.2.0.50 - Certificate Authentication Services Client
 cas.msg.CA_ES - cas.msg.CA_ES 5.2.0.50 - Cert Auth Serv Client Messages - Catalan (UTF)
 cas.msg.CS_CZ - cas.msg.CS_CZ 5.2.0.50 - Cert Auth Serv Client Messages - Czech (UTF)
 cas.msg.DE_DE - cas.msg.DE_DE 5.2.0.50 - Cert Auth Serv Client Messages - German (UTF)
 cas.msg.EN_US - cas.msg.EN_US 5.2.0.50 - Cert Auth Serv Client Messages - U.S. English (UTF)
 cas.msg.ES_ES - cas.msg.ES_ES 5.2.0.50 - Cert Auth Serv Client Messages - Spanish (UTF)
 cas.msg.FR_FR - cas.msg.FR_FR 5.2.0.50 - Cert Auth Serv Client Messages - French (UTF)
 cas.msg.HU_HU - cas.msg.HU_HU 5.2.0.50 - Cert Auth Serv Client Messages - Hungarian (UTF)
 cas.msg.IT_IT - cas.msg.IT_IT 5.2.0.50 - Cert Auth Serv Client Messages - Italian (UTF)
 cas.msg.JA_JP - cas.msg.JA_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese (UTF)
 cas.msg.Ja_JP - cas.msg.Ja_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese
 cas.msg.KO_KR - cas.msg.KO_KR 5.2.0.50 - Cert Auth Serv Client Messages - Korean (UTF)
 cas.msg.PL_PL - cas.msg.PL_PL 5.2.0.50 - Cert Auth Serv Client Messages - Polish (UTF)
 cas.msg.PT_BR - cas.msg.PT_BR 5.2.0.50 - Cert Auth Serv Client Messages - Brazilian Portuguese (UTF)
 cas.msg.RU_RU - cas.msg.RU_RU 5.2.0.50 - Cert Auth Serv Client Messages - Russian (UTF)
 cas.msg.SK_SK - cas.msg.SK_SK 5.2.0.50 - Cert Auth Serv Client Messages - Slovak (UTF)
 cas.msg.ZH_CN - cas.msg.ZH_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (UTF)
 cas.msg.ZH_TW - cas.msg.ZH_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese (UTF)
 cas.msg.zh_CN - cas.msg.zh_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (GBK)
 cas.msg.zh_TW - cas.msg.zh_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese (big5)
 cas.msg.ca_ES - cas.msg.ca_ES 5.2.0.50 - Cert Auth Serv Client Messages - Catalan
 cas.msg.cs_CZ - cas.msg.cs_CZ 5.2.0.50 - Cert Auth Serv Client Messages - Czech
 cas.msg.de_DE - cas.msg.de_DE 5.2.0.50 - Cert Auth Serv Client Messages - German
 cas.msg.en_US - cas.msg.en_US 5.2.0.50 - Cert Auth Serv Client Messages - U.S. English
 cas.msg.es_ES - cas.msg.es_ES 5.2.0.50 - Cert Auth Serv Client Messages - Spanish
 cas.msg.fr_FR - cas.msg.fr_FR 5.2.0.50 - Cert Auth Serv Client Messages - French
 cas.msg.hu_HU - cas.msg.hu_HU 5.2.0.50 - Cert Auth Serv Client Messages - Hungarian
 cas.msg.it_IT - cas.msg.it_IT 5.2.0.50 - Cert Auth Serv Client Messages - Italian
 cas.msg.ja_JP - cas.msg.ja_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese IBM-eucJP
 cas.msg.ko_KR - cas.msg.ko_KR 5.2.0.50 - Cert Auth Serv Client Messages - Korean
 cas.msg.pl_PL - cas.msg.pl_PL 5.2.0.50 - Cert Auth Serv Client Messages - Polish
 cas.msg.pt_BR - cas.msg.pt_BR 5.2.0.50 - Cert Auth Serv Client Messages - Brazilian Portuguese
 cas.msg.ru_RU - cas.msg.ru_RU 5.2.0.50 - Cert Auth Serv Client Messages - Russian
 cas.msg.sk_SK - cas.msg.sk_SK 5.2.0.50 - Cert Auth Serv Client Messages - Slovak
 cas.msg.zh_CN - cas.msg.zh_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (EUC)

cas.msg.zh_TW - cas.msg.zh_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese
cas.server - cas.server 5.2.0.50 - Certificate Authentication Services Server
clic.rte - clic.rte 3.23.0.0 - CryptoLite for C Library
rsct.crypt.des - rsct.crypt.des 2.4.5.0 - RSCT Security DES Encryption Modules
rsct.crypt.3des - rsct.crypt.3des 2.4.5.0 - RSCT Security Triple-DES Encryption Modules
des - des 5.3.0.0 - Data Encryption Standard Library Routines
gskak.rte - gskak 6.0.5.41 - AIX Certificate and SSL Base Runtime ACME Toolkit
krb5.client - krb5.client 1.4.0.4 - Network Authentication Service Client
krb5.doc.Ja_JP - krb5.doc.Ja_JP 1.4.0.4 - Network Auth Service PDF Documentation - Japanese
krb5.doc.en_US - krb5.doc.en_US 1.4.0.4 - Network Auth Service PDF Documentation - U.S. English
krb5.doc.ko_KR - krb5.doc.ko_KR 1.4.0.4 - Network Auth Service PDF Documentation - Korean
krb5.doc.zh_CN - krb5.doc.zh_CN 1.4.0.4 - Network Auth Service PDF Documentation - Simplified Chinese
krb5.lic - krb5.lic 1.4.0.4 - Network Authentication Service License
krb5.msg.CA_ES - krb5.msg.CA_ES 1.4.0.4 - Network Auth Service Client Msgs - Catalan (UTF)
krb5.msg.DE_CH - krb5.msg.DE_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss German (UTF)
krb5.msg.DE_DE - krb5.msg.DE_DE 1.4.0.4 - Network Auth Service Client Msgs - German (UTF)
krb5.msg.EN_US - krb5.msg.EN_US 1.4.0.4 - Network Auth Service Client Msgs - U.S. English (UTF)
krb5.msg.ES_ES - krb5.msg.ES_ES 1.4.0.4 - Network Auth Service Client Msgs - Spanish (UTF)
krb5.msg.FR_CA - krb5.msg.FR_CA 1.4.0.4 - Network Auth Service Client Msgs - Canadian French (UTF)
krb5.msg.FR_CH - krb5.msg.FR_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss French (UTF)
krb5.msg.FR_FR - krb5.msg.FR_FR 1.4.0.4 - Network Auth Service Client Msgs - French (UTF)
krb5.msg.IT_CH - krb5.msg.IT_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss Italian (UTF)
krb5.msg.IT_IT - krb5.msg.IT_IT 1.4.0.4 - Network Auth Service Client Msgs - Italian (UTF)
krb5.msg.JA_JP - krb5.msg.JA_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese (UTF)
krb5.msg.Ja_JP - krb5.msg.Ja_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese
krb5.msg.KO_KR - krb5.msg.KO_KR 1.4.0.4 - Network Auth Service Client Msgs - Korean (UTF)
krb5.msg.PT_BR - krb5.msg.PT_BR 1.4.0.4 - Network Auth Service Client Msgs - Braz Portuguese (UTF)
krb5.msg.ZH_CN - krb5.msg.ZH_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (UTF)
krb5.msg.ZH_TW - krb5.msg.ZH_TW 1.4.0.4 - Network Auth Service Client Msgs - Traditional Chinese (UTF)
krb5.msg.Zh_CN - krb5.msg.Zh_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (GBK)
krb5.msg.Zh_TW - krb5.msg.Zh_TW 1.4.0.4 - Network Auth Service Client Msgs - T-Chinese (big5)
krb5.msg.ca_ES - krb5.msg.ca_ES 1.4.0.4 - Network Auth Service Client Msgs - Catalan
krb5.msg.de_CH - krb5.msg.de_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss German
krb5.msg.de_DE - krb5.msg.de_DE 1.4.0.4 - Network Auth Service Client Msgs - German
krb5.msg.en_US - krb5.msg.en_US 1.4.0.4 - Network Auth Service Client Msgs - U.S. English
krb5.msg.es_ES - krb5.msg.es_ES 1.4.0.4 - Network Auth Service Client Msgs - Spanish
krb5.msg.fr_CA - krb5.msg.fr_CA 1.4.0.4 - Network Auth Service Client Msgs - Canadian French
krb5.msg.fr_CH - krb5.msg.fr_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss French
krb5.msg.fr_FR - krb5.msg.fr_FR 1.4.0.4 - Network Auth Service Client Msgs - French
krb5.msg.it_IT - krb5.msg.it_IT 1.4.0.4 - Network Auth Service Client Msgs - Italian
krb5.msg.ja_JP - krb5.msg.ja_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese (IBM-eucJP)
krb5.msg.ko_KR - krb5.msg.ko_KR 1.4.0.4 - Network Auth Service Client Msgs - Korean
krb5.msg.pt_BR - krb5.msg.pt_BR 1.4.0.4 - Network Auth Service Client Msgs - Brazilian Portuguese
krb5.msg.zh_CN - krb5.msg.zh_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (EUC)
krb5.msg.zh_TW - krb5.msg.zh_TW 1.4.0.4 - Network Auth Service Client Msgs - Traditional Chinese
krb5.server - krb5.server 1.4.0.4 - Network Authentication Service Server

```

krb5.toolkit - krb5.toolkit 1.4.0.4 - Network Authentication Service App. Dev. Toolkit
ldap.max_crypto_client - ldap.max_crypto_client 5.2.0.0 - Directory Client Runtime (SSL)
ldap.max_crypto_server - ldap.max_crypto_server 5.2.0.0 - Directory Server Framework (SSL)
ldap.max_crypto_webdadmin - ldap.max_crypto_webdadmin 5.2.0.0 - Directory Administrative Interface (SSL)
modcrypt.base - modcrypt.base 5.3.0.75 - Cryptographic Library (libmodcrypt.a)
openssh.base - openssh.base 4.3.0.5300 - Open Secure Shell Server
openssh.license - openssh.license 4.3.0.5300 - Open Secure Shell License
openssh.man.en_US - openssh.man.en_US 4.3.0.5300 - Open Secure Shell Documentation - U.S. English
openssh.msg.CA_ES - openssh.msg.CA_ES 4.3.0.5300 - Open Secure Shell Messages - Catalan (UTF)
openssh.msg.CS_CZ - openssh.msg.CS_CZ 4.3.0.5300 - Open Secure Shell Messages - Czech (UTF)
openssh.msg.DE_DE - openssh.msg.DE_DE 4.3.0.5300 - Open Secure Shell Messages - German (UTF)
openssh.msg.EN_US - openssh.msg.EN_US 4.3.0.5300 - Open Secure Shell Messages - U.S. English (UTF)
openssh.msg.ES_ES - openssh.msg.ES_ES 4.3.0.5300 - Open Secure Shell Messages - Spanish (UTF)
openssh.msg.FR_FR - openssh.msg.FR_FR 4.3.0.5300 - Open Secure Shell Messages - French (UTF)
openssh.msg.HU_HU - openssh.msg.HU_HU 4.3.0.5300 - Open Secure Shell Messages - Hungarian (UTF)
openssh.msg.IT_IT - openssh.msg.IT_IT 4.3.0.5300 - Open Secure Shell Messages - Italian (UTF)
openssh.msg.JA_JP - openssh.msg.JA_JP 4.3.0.5300 - Open Secure Shell Messages - Japanese (UTF)
openssh.msg.Ja_JP - openssh.msg.Ja_JP 4.3.0.5300 - Open Secure Shell Messages - Japanese
openssh.msg.KO_KR - openssh.msg.KO_KR 4.3.0.5300 - Open Secure Shell Messages - Korean (UTF)
openssh.msg.PL_PL - openssh.msg.PL_PL 4.3.0.5300 - Open Secure Shell Messages - Polish (UTF)
openssh.msg.PT_BR - openssh.msg.PT_BR 4.3.0.5300 - Open Secure Shell Messages - Brazilian Portuguese (UTF)
openssh.msg.RU_RU - openssh.msg.RU_RU 4.3.0.5300 - Open Secure Shell Messages - Russian (UTF)
openssh.msg.SK_SK - openssh.msg.SK_SK 4.3.0.5300 - Open Secure Shell Messages - Slovak (UTF)
openssh.msg.ZH_CN - openssh.msg.ZH_CN 4.3.0.5300 - Open Secure Shell Messages - Simplified Chinese (UTF)
openssh.msg.ZH_TW - openssh.msg.ZH_TW 4.3.0.5300 - Open Secure Shell Messages - Traditional Chinese (UTF)
openssh.msg.Zh_CN - openssh.msg.Zh_CN 4.3.0.5300 - Open Secure Shell Messages - Simplified Chinese (GBK)
openssh.msg.Zh_TW - openssh.msg.Zh_TW 4.3.0.5300 - Open Secure Shell Messages - Traditional Chinese (big5)
openssh.msg.ca_ES - openssh.msg.ca_ES 4.3.0.5300 - Open Secure Shell Messages - Catalan
openssh.msg.cs_CZ - openssh.msg.cs_CZ 4.3.0.5300 - Open Secure Shell Messages - Czech
openssh.msg.de_DE - openssh.msg.de_DE 4.3.0.5300 - Open Secure Shell Messages - German
openssh.msg.en_US - openssh.msg.en_US 4.3.0.5300 - Open Secure Shell Messages - U.S. English
openssh.msg.es_ES - openssh.msg.es_ES 4.3.0.5300 - Open Secure Shell Messages - Spanish
openssh.msg.fr_FR - openssh.msg.fr_FR 4.3.0.5300 - Open Secure Shell Messages - French
openssh.msg.hu_HU - openssh.msg.hu_HU 4.3.0.5300 - Open Secure Shell Messages - Hungarian
openssh.msg.it_IT - openssh.msg.it_IT 4.3.0.5300 - Open Secure Shell Messages - Italian
openssh.msg.ja_JP - openssh.msg.ja_JP 4.3.0.5300 - Open Secure Shell Messages - Japanese IBM-eucJP
openssh.msg.ko_KR - openssh.msg.ko_KR 4.3.0.5300 - Open Secure Shell Messages - Korean
openssh.msg.pl_PL - openssh.msg.pl_PL 4.3.0.5300 - Open Secure Shell Messages - Polish
openssh.msg.pt_BR - openssh.msg.pt_BR 4.3.0.5300 - Open Secure Shell Messages - Brazilian Portuguese
openssh.msg.ru_RU - openssh.msg.ru_RU 4.3.0.5300 - Open Secure Shell Messages - Russian
openssh.msg.sk_SK - openssh.msg.sk_SK 4.3.0.5300 - Open Secure Shell Messages - Slovak
openssh.msg.zh_CN - openssh.msg.zh_CN 4.3.0.5300 - Open Secure Shell Messages - Simplified Chinese
openssh.msg.zh_TW - openssh.msg.zh_TW 4.3.0.5300 - Open Secure Shell Messages - Traditional Chinese
rsct.crypt.3des - rsct.crypt.3des 2.4.5.0 - RSCT Security Triple-DES Encryption Modules
rsct.crypt.aes128 - rsct.crypt.aes128 2.4.5.0 - RSCT Security AES 128-Bit Encryption Modules
rsct.crypt.aes256 - rsct.crypt.aes256 2.4.5.0 - RSCT Security AES 256-Bit Encryption Modules

```

rsct.crypt.des - rsct.crypt.des 2.4.5.0 - RSCT Security DES Encryption Modules
rsct.crypt.rsa1024 - rsct.crypt.rsa1024 2.4.5.0 - RSCT Security RSA 1024-Bit Encryption Modules
rsct.crypt.rsa512 - rsct.crypt.rsa512 2.4.5.0 - RSCT Security RSA 512-Bit Encryption Modules
rsct.exp - rsct.exp 2.4.5.0 - RSCT CIM Resource Manager
snmp.crypto - snmp.crypto 5.3.0.0 - 56-bit DES Encrypted SNMPV3 Support
sysmgt.pegasus.cimserver - sysmgt.pegasus.cimserver 2.5.1.0 - Pegasus CIM Server Runtime Environment
sysmgt.pegasus.osbaseproviders - sysmgt.pegasus.osbaseproviders 1.2.6.0 - Base Providers for AIX OS
sysmgt.pegasus.smisproviders - sysmgt.pegasus.smisproviders 1.1.0.0 - SMI-S Providers for AIX OS
sysmgt.websm.security-us - sysmgt.websm.security-us 5.3.0.0 - Web-based System Manager Security for US
sysmgt.websm.security - sysmgt.websm.security 5.3.0.0 - Web-based System Manager Security
sysmgt.websm.security-us - sysmgt.websm.security-us 5.3.0.0 - Web-based System Manager Security for US
tts_access.base.en_US - tts_access.base.en_US 6.7.4.0 - IBM Text-to-Speech runtime - U.S. English
tts_access.base - tts_access.base 6.7.4.0 - IBM Text-to-Speech runtime base
tts_access.base.en_US - tts_access.base.en_US 6.7.4.0 - IBM Text-to-Speech runtime - U.S. English
xlC.aix50_8. - xlC.aix50 8.0.0.4 - C Set ++ Runtime for AIX 5.
xlC.cpp_6.0..1 - xlC.cpp 6.0.0.1 - C for AIX Preprocessor
xlC.msg.Ja_JP_8. - xlC.msg.Ja_JP 8.0.0.4 - C Set ++ Runtime Messages--Japanese
xlC.msg.en_US_8. - xlC.msg.en_US 8.0.0.4 - C Set ++ Runtime Messages--U.S. English
xlC.msg.ja_JP_8. - xlC.msg.ja_JP 8.0.0.4 - C Set ++ Runtime Messages--Japanese IBM-eucJP
xlC.rte_8. - xlC.rte 8.0.0.4 - C Set ++ Runtime
xlfrte.aix51_10.1 - xlfrte.aix51 10.1.0.1 - XL Fortran Runtime Environment AIX 5.1 Libraries
xlfrte.msg.EN_US_10.1 - xlfrte.msg.EN_US 10.1.0.1 - XL Fortran Runtime Environment Messages - U.S. English UTF-8
xlfrte.msg.JA_JP_10.1 - xlfrte.msg.JA_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese UTF-8
xlfrte.msg.Ja_JP_10.1 - xlfrte.msg.Ja_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
xlfrte.msg.en_US_10.1 - xlfrte.msg.en_US 10.1.0.1 - XL Fortran Runtime Messages - U.S. English
xlfrte.msg.ja_JP_10.1 - xlfrte.msg.ja_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese IBM-eucJP
xlfrte_10.1 - xlfrte 10.1.0.1 - XL Fortran Runtime Environment
xlsmpl.aix50.rte_1.6 - xlsmpl.aix50.rte 1.6.0.0 - SMP Runtime Libraries for AIX 5.
xlsmpl.msg.EN_US.rte_1.6 - xlsmpl.msg.EN_US.rte 1.6.0.0 - XL SMP Runtime Messages - U.S. English UTF-8
xlsmpl.msg.JA_JP.rte_1.6 - xlsmpl.msg.JA_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese UTF-8
xlsmpl.msg.Ja_JP.rte_1.6 - xlsmpl.msg.Ja_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese
xlsmpl.msg.ZH_CN.rte_1.6 - xlsmpl.msg.ZH_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese UTF-8
xlsmpl.msg.zh_CN.rte_1.6 - xlsmpl.msg.zh_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese
xlsmpl.msg.en_US.rte_1.6 - xlsmpl.msg.en_US.rte 1.6.0.0 - XL SMP Runtime Messages - U.S. English
xlsmpl.msg.ja_JP.rte_1.6 - xlsmpl.msg.ja_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese IBM-eucJP
xlsmpl.msg.zh_CN.rte_1.6 - xlsmpl.msg.zh_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese IBM-eucCN
xlsmpl.rte_1.6 - xlsmpl.rte 1.6.0.0 - SMP Runtime Library

=====

AIX V5.3 Expansion pack CD #2

=====

db2_08_01_80.cj - db2_08_01.cj 8.1.1.80 - Java Common files
db2_08_01_80.client - db2_08_01.client 8.1.1.80 - Base Client Support
db2_08_01_80.cnvucs - db2_08_01.cnvucs 8.1.1.80 - Code Page Conversion Tables - Unicode Support
db2_08_01_80.conn - db2_08_01.conn 8.1.1.80 - Connect Support
db2_08_01_80.conv - db2_08_01.conv 8.1.1.80 - Code Page Conversion Tables
db2_08_01_80.cs.rte - db2_08_01.cs.rte 8.1.1.80 - Communication Support - TCP/IP
db2_08_01_80.das - db2_08_01.das 8.1.1.80 - Administration Server
db2_08_01_80.db2.engn - db2_08_01.db2.engn 8.1.1.80 - Base DB2 UDB Support
db2_08_01_80.db2.rte - db2_08_01.db2.rte 8.1.1.80 - Run-time Environment
db2_08_01_80.db2.samples - db2_08_01.db2.samples 8.1.1.80 - Sample Database Source
db2_08_01_80.essg - db2_08_01.essg 8.1.1.80 - Product Signature for DB2 UDB Enterprise Server Edition
db2_08_01_80.icuc - db2_08_01.icuc 8.1.1.80 - ICU Collation
db2_08_01_80.icut - db2_08_01.icut 8.1.1.80 - ICU Utilities
db2_08_01_80.jdbc - db2_08_01.jdbc 8.1.1.80 - Java Support
db2_08_01_80.jhlp.en_US.iso88591 - db2_08_01.jhlp.en_US.iso88591 8.1.1.80 - Java Help (HTML) -
en_US.iso88591
db2_08_01_80.ldap - db2_08_01.ldap 8.1.1.80 - DB2 LDAP Support
db2_08_01_80.msg.en_US.iso88591 - db2_08_01.msg.en_US.iso88591 8.1.1.80 - Product Messages -
en_US.iso88591
db2_08_01_80.pext - db2_08_01.pext 8.1.1.80 - Parallel Extension
db2_08_01_80.repl - db2_08_01.repl 8.1.1.80 - Replication
db2_08_01_80.sqlproc - db2_08_01.sqlproc 8.1.1.80 - SQL Procedures
gksa.rte - gksa 7.0.3.3 - AIX Certificate and SSL Base Runtime ACME Toolkit
gskta.rte - gskta 7.0.3.3 - AIX Certificate and SSL Base Runtime ACME Toolkit
idsldap.clt32bit60 - idsldap.clt32bit60 6.0.0.1 - Directory Server - 32 bit Client
idsldap.clt64bit60 - idsldap.clt64bit60 6.0.0.1 - Directory Server - 64 bit Client
idsldap.clt_max_crypto32bit60 - idsldap.clt_max_crypto32bit60 6.0.0.1 - Directory Server - 32 bit Client
(SSL)
idsldap.clt_max_crypto64bit60 - idsldap.clt_max_crypto64bit60 6.0.0.1 - Directory Server - 64 bit Client
(SSL)
idsldap.cltbase60 - idsldap.cltbase60 6.0.0.1 - Directory Server - Base Client
idsldap.cltjava60 - idsldap.cltjava60 6.0.0.1 - Directory Server - Java Client
idsldap.cltjava_max_crypto60 - idsldap.cltjava_max_crypto60 6.0.0.1 - Directory Server - Java Client (SSL)
idsldap.msg60.en_US - idsldap.msg 6.0.0.1 - Directory Server - Messages - U.S. English (en)
idsldap.srv64bit60 - idsldap.srv64bit60 6.0.0.1 - Directory Server - 64 bit Server
idsldap.srv_max_cryptoproxy64bit60 - idsldap.srv_max_cryptoproxy64bit60 6.0.0.1 - Directory Server - Proxy
Server (SSL)
idsldap.srvproxy64bit60 - idsldap.srvproxy64bit60 6.0.0.1 - Directory Server - Proxy Server
idsldap.webadmin60 - idsldap.webadmin60 6.0.0.1 - Directory Server - Web Administration
idsldap.webadmin_max_crypto60 - idsldap.webadmin_max_crypto60 6.0.0.1 - Directory Server - Web
Administration (SSL)
ipfl - ipfl 5.3.0.0 - IP Filters
ndaf.base - ndaf.base 1.1.0.0 - Network Data Administration Facility server

netsec.options - netsec.options 1.1.0.0 - TCP-wrapper

```
=====
AIX V5.3 Expansion pack DVD
=====
```

```
# ./GSKit.README contains XXX
# ./README.expansion contains XXX
# ./README.expansion.html contains XXX
# ./ismp/ppc/IHS2/IHS2.response contains XXX
# ./ismp/ppc/IHS2/gskit.sh contains XXX
# ./ismp/ppc/IHS2/gskta.rte contains XXX
# ./ismp/ppc/IHS2/license/LA_cs contains XXX
# ./ismp/ppc/IHS2/license/LA_de contains XXX
# ./ismp/ppc/IHS2/license/LA_en contains XXX
# ./ismp/ppc/IHS2/license/LA_es contains XXX
# ./ismp/ppc/IHS2/license/LA_fr contains XXX
# ./ismp/ppc/IHS2/license/LA_it contains XXX
# ./ismp/ppc/IHS2/license/LA_ja contains XXX
# ./ismp/ppc/IHS2/license/LA_ko contains XXX
# ./ismp/ppc/IHS2/license/LA_pl contains XXX
# ./ismp/ppc/IHS2/license/LA_pt contains XXX
# ./ismp/ppc/IHS2/license/LA_tr contains XXX
# ./ismp/ppc/IHS2/license/LA_zh contains XXX
# ./ismp/ppc/IHS2/license/LA_zh_TW contains XXX
# ./ismp/ppc/IHS2/license/LI_cs contains XXX
# ./ismp/ppc/IHS2/license/LI_de contains XXX
# ./ismp/ppc/IHS2/license/LI_en contains XXX
# ./ismp/ppc/IHS2/license/LI_es contains XXX
# ./ismp/ppc/IHS2/license/LI_fr contains XXX
# ./ismp/ppc/IHS2/license/LI_it contains XXX
# ./ismp/ppc/IHS2/license/LI_ja contains XXX
# ./ismp/ppc/IHS2/license/LI_ko contains XXX
# ./ismp/ppc/IHS2/license/LI_pl contains XXX
# ./ismp/ppc/IHS2/license/LI_pt contains XXX
# ./ismp/ppc/IHS2/license/LI_tr contains XXX
# ./ismp/ppc/IHS2/license/LI_zh contains XXX
# ./ismp/ppc/IHS2/license/LI_zh_TW contains XXX
# ./ismp/ppc/IHS2/media.inf contains XXX
# ./ismp/ppc/IHS2/readme/readme_de.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_en.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_es.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_fr.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_it.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_ja.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_ko.html contains XXX
```

```
# ./ismp/ppc/IHS2/readme/readme_pt_BR.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_zh.html contains XXX
# ./ismp/ppc/IHS2/readme/readme_zh_TW.html contains XXX
# ./ismp/ppc/IHS2/setup.jar contains XXX
# ./ismp/ppc/IHS2/silent.res contains XXX
# ./xlC.license.README.pdf contains XXX
# ./xlfrte.license.README.pdf contains XXX
Java14_64.ext - Java14_64.ext 1.4.2.0 - Java SDK 64-bit Comm API Extension
Java14_64.license - Java14_64.license 1.4.2.0 - Java SDK 64-bit License
Java14_64.msg.Ja_JP - Java14_64.msg.Ja_JP 1.4.2.0 - Java SDK 64-bit Locale/Messages - Japanese
Java14_64.msg.Zh_CN - Java14_64.msg.Zh_CN 1.4.2.0 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(GBK)
Java14_64.msg.Zh_TW - Java14_64.msg.Zh_TW 1.4.2.0 - Java SDK 64-bit Locale/Messages - Traditional Chinese
(big5)
Java14_64.msg.ja_JP - Java14_64.msg.ja_JP 1.4.2.0 - Java SDK 64-bit Locale/Messages - Japanese (IBM-eucJP)
Java14_64.msg.ko_KR - Java14_64.msg.ko_KR 1.4.2.0 - Java SDK 64-bit Locale/Messages - Korean
Java14_64.msg.zh_CN - Java14_64.msg.zh_CN 1.4.2.0 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(EUC)
Java14_64.msg.zh_TW - Java14_64.msg.zh_TW 1.4.2.0 - Java SDK 64-bit Locale/Messages - Traditional Chinese
Java14_64.samples - Java14_64.samples 1.4.2.0 - Java SDK 64-bit Samples
Java14_64.sdk - Java14_64.sdk 1.4.2.75 - Java SDK 64-bit
Java14_64.source - Java14_64.source 1.4.2.75 - Java SDK 64-bit Source
Java5.ext - Java5.ext 5.0.0.1 - Java SDK 32-bit Comm API Extension
Java5.msg.Ja_JP - Java5.msg.Ja_JP 5.0.0.1 - Java SDK 32-bit Locale/Messages - Japanese
Java5.msg.Zh_CN - Java5.msg.Zh_CN 5.0.0.1 - Java SDK 32-bit Locale/Messages - Simplified Chinese (GBK)
Java5.msg.Zh_TW - Java5.msg.Zh_TW 5.0.0.1 - Java SDK 32-bit Locale/Messages - Traditional Chinese (big5)
Java5.msg.ja_JP - Java5.msg.ja_JP 5.0.0.1 - Java SDK 32-bit Locale/Messages - Japanese (IBM-eucJP)
Java5.msg.ko_KR - Java5.msg.ko_KR 5.0.0.1 - Java SDK 32-bit Locale/Messages - Korean
Java5.msg.zh_CN - Java5.msg.zh_CN 5.0.0.1 - Java SDK 32-bit Locale/Messages - Simplified Chinese (EUC)
Java5.msg.zh_TW - Java5.msg.zh_TW 5.0.0.1 - Java SDK 32-bit Locale/Messages - Traditional Chinese
Java5.samples - Java5.samples 5.0.0.25 - Java SDK 32-bit Samples
Java5.sdk - Java5.sdk 5.0.0.50 - Java SDK 32-bit
Java5.source - Java5.source 5.0.0.50 - Java SDK 32-bit Source
Java5_64.ext - Java5_64.ext 5.0.0.1 - Java SDK 64-bit Comm API Extension
Java5_64.msg.Ja_JP - Java5_64.msg.Ja_JP 5.0.0.1 - Java SDK 64-bit Locale/Messages - Japanese
Java5_64.msg.Zh_CN - Java5_64.msg.Zh_CN 5.0.0.1 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(GBK)
Java5_64.msg.Zh_TW - Java5_64.msg.Zh_TW 5.0.0.1 - Java SDK 64-bit Locale/Messages - Traditional Chinese
(big5)
Java5_64.msg.ja_JP - Java5_64.msg.ja_JP 5.0.0.1 - Java SDK 64-bit Locale/Messages - Japanese (IBM-eucJP)
Java5_64.msg.ko_KR - Java5_64.msg.ko_KR 5.0.0.1 - Java SDK 64-bit Locale/Messages - Korean
Java5_64.msg.zh_CN - Java5_64.msg.zh_CN 5.0.0.1 - Java SDK 64-bit Locale/Messages - Simplified Chinese
(EUC)
Java5_64.msg.zh_TW - Java5_64.msg.zh_TW 5.0.0.1 - Java SDK 64-bit Locale/Messages - Traditional Chinese
Java5_64.samples - Java5_64.samples 5.0.0.25 - Java SDK 64-bit Samples
Java5_64.sdk - Java5_64.sdk 5.0.0.50 - Java SDK 64-bit
```

Java5_64.source - Java5_64.source 5.0.0.50 - Java SDK 64-bit Source
bos.crypto-priv - bos.crypto-priv 5.3.0.50 - DES, Triple DES and AES Encryption for IP Security
cas.client - cas.client 5.2.0.50 - Certificate Authentication Services Client
cas.msg.CA_ES - cas.msg.CA_ES 5.2.0.50 - Cert Auth Serv Client Messages - Catalan (UTF)
cas.msg.CS_CZ - cas.msg.CS_CZ 5.2.0.50 - Cert Auth Serv Client Messages - Czech (UTF)
cas.msg.DE_DE - cas.msg.DE_DE 5.2.0.50 - Cert Auth Serv Client Messages - German (UTF)
cas.msg.EN_US - cas.msg.EN_US 5.2.0.50 - Cert Auth Serv Client Messages - U.S. English (UTF)
cas.msg.ES_ES - cas.msg.ES_ES 5.2.0.50 - Cert Auth Serv Client Messages - Spanish (UTF)
cas.msg.FR_FR - cas.msg.FR_FR 5.2.0.50 - Cert Auth Serv Client Messages - French (UTF)
cas.msg.HU_HU - cas.msg.HU_HU 5.2.0.50 - Cert Auth Serv Client Messages - Hungarian (UTF)
cas.msg.IT_IT - cas.msg.IT_IT 5.2.0.50 - Cert Auth Serv Client Messages - Italian (UTF)
cas.msg.JA_JP - cas.msg.JA_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese (UTF)
cas.msg.Ja_JP - cas.msg.Ja_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese
cas.msg.KO_KR - cas.msg.KO_KR 5.2.0.50 - Cert Auth Serv Client Messages - Korean (UTF)
cas.msg.PL_PL - cas.msg.PL_PL 5.2.0.50 - Cert Auth Serv Client Messages - Polish (UTF)
cas.msg.PT_BR - cas.msg.PT_BR 5.2.0.50 - Cert Auth Serv Client Messages - Brazilian Portuguese (UTF)
cas.msg.RU_RU - cas.msg.RU_RU 5.2.0.50 - Cert Auth Serv Client Messages - Russian (UTF)
cas.msg.SK_SK - cas.msg.SK_SK 5.2.0.50 - Cert Auth Serv Client Messages - Slovak (UTF)
cas.msg.ZH_CN - cas.msg.ZH_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (UTF)
cas.msg.ZH_TW - cas.msg.ZH_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese (UTF)
cas.msg.Zh_CN - cas.msg.Zh_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (GBK)
cas.msg.Zh_TW - cas.msg.Zh_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese (big5)
cas.msg.ca_ES - cas.msg.ca_ES 5.2.0.50 - Cert Auth Serv Client Messages - Catalan
cas.msg.cs_CZ - cas.msg.cs_CZ 5.2.0.50 - Cert Auth Serv Client Messages - Czech
cas.msg.de_DE - cas.msg.de_DE 5.2.0.50 - Cert Auth Serv Client Messages - German
cas.msg.en_US - cas.msg.en_US 5.2.0.50 - Cert Auth Serv Client Messages - U.S. English
cas.msg.es_ES - cas.msg.es_ES 5.2.0.50 - Cert Auth Serv Client Messages - Spanish
cas.msg.fr_FR - cas.msg.fr_FR 5.2.0.50 - Cert Auth Serv Client Messages - French
cas.msg.hu_HU - cas.msg.hu_HU 5.2.0.50 - Cert Auth Serv Client Messages - Hungarian
cas.msg.it_IT - cas.msg.it_IT 5.2.0.50 - Cert Auth Serv Client Messages - Italian
cas.msg.ja_JP - cas.msg.ja_JP 5.2.0.50 - Cert Auth Serv Client Messages - Japanese IBM-eucJP
cas.msg.ko_KR - cas.msg.ko_KR 5.2.0.50 - Cert Auth Serv Client Messages - Korean
cas.msg.pl_PL - cas.msg.pl_PL 5.2.0.50 - Cert Auth Serv Client Messages - Polish
cas.msg.pt_BR - cas.msg.pt_BR 5.2.0.50 - Cert Auth Serv Client Messages - Brazilian Portuguese
cas.msg.ru_RU - cas.msg.ru_RU 5.2.0.50 - Cert Auth Serv Client Messages - Russian
cas.msg.sk_SK - cas.msg.sk_SK 5.2.0.50 - Cert Auth Serv Client Messages - Slovak
cas.msg.zh_CN - cas.msg.zh_CN 5.2.0.50 - Cert Auth Serv Client Messages - Simplified Chinese (EUC)
cas.msg.zh_TW - cas.msg.zh_TW 5.2.0.50 - Cert Auth Serv Client Messages - Traditional Chinese
cas.server - cas.server 5.2.0.50 - Certificate Authentication Services Server
clic.rte - clic.rte 3.23.0.0 - CryptoLite for C Library
db2_08_01_80.cj - db2_08_01.cj 8.1.1.80 - Java Common files
db2_08_01_80.client - db2_08_01.client 8.1.1.80 - Base Client Support
db2_08_01_80.cnvucs - db2_08_01.cnvucs 8.1.1.80 - Code Page Conversion Tables - Unicode Support
db2_08_01_80.conn - db2_08_01.conn 8.1.1.80 - Connect Support
db2_08_01_80.conv - db2_08_01.conv 8.1.1.80 - Code Page Conversion Tables
db2_08_01_80.cs.rte - db2_08_01.cs.rte 8.1.1.80 - Communication Support - TCP/IP

db2_08_01_80.das - db2_08_01.das 8.1.1.80 - Administration Server
db2_08_01_80.db2.engn - db2_08_01.db2.engn 8.1.1.80 - Base DB2 UDB Support
db2_08_01_80.db2.rte - db2_08_01.db2.rte 8.1.1.80 - Run-time Environment
db2_08_01_80.db2.samples - db2_08_01.db2.samples 8.1.1.80 - Sample Database Source
db2_08_01_80.essg - db2_08_01.essg 8.1.1.80 - Product Signature for DB2 UDB Enterprise Server Edition
db2_08_01_80.icuc - db2_08_01.icuc 8.1.1.80 - ICU Collation
db2_08_01_80.icut - db2_08_01.icut 8.1.1.80 - ICU Utilities
db2_08_01_80.jdbc - db2_08_01.jdbc 8.1.1.80 - Java Support
db2_08_01_80.jhlp.en_US.iso88591 - db2_08_01.jhlp.en_US.iso88591 8.1.1.80 - Java Help (HTML) -
en_US.iso88591
db2_08_01_80.ldap - db2_08_01.ldap 8.1.1.80 - DB2 LDAP Support
db2_08_01_80.msg.en_US.iso88591 - db2_08_01.msg.en_US.iso88591 8.1.1.80 - Product Messages -
en_US.iso88591
db2_08_01_80.pext - db2_08_01.pext 8.1.1.80 - Parallel Extension
db2_08_01_80.repl - db2_08_01.repl 8.1.1.80 - Replication
db2_08_01_80.sqlproc - db2_08_01.sqlproc 8.1.1.80 - SQL Procedures
rsct.crypt.des - rsct.crypt.des 2.4.5.0 - RSCT Security DES Encryption Modules
rsct.crypt.3des - rsct.crypt.3des 2.4.5.0 - RSCT Security Triple-DES Encryption Modules
des - des 5.3.0.0 - Data Encryption Standard Library Routines
gskak.rte - gskak 6.0.5.41 - AIX Certificate and SSL Base Runtime ACME Toolkit
gksa.rte - gksa 7.0.3.3 - AIX Certificate and SSL Base Runtime ACME Toolkit
gskta.rte - gskta 7.0.3.3 - AIX Certificate and SSL Base Runtime ACME Toolkit
idsldap.clt32bit60 - idsldap.clt32bit60 6.0.0.1 - Directory Server - 32 bit Client
idsldap.clt64bit60 - idsldap.clt64bit60 6.0.0.1 - Directory Server - 64 bit Client
idsldap.clt_max_crypto32bit60 - idsldap.clt_max_crypto32bit60 6.0.0.1 - Directory Server - 32 bit Client
(SSL)
idsldap.clt_max_crypto64bit60 - idsldap.clt_max_crypto64bit60 6.0.0.1 - Directory Server - 64 bit Client
(SSL)
idsldap.cltbase60 - idsldap.cltbase60 6.0.0.1 - Directory Server - Base Client
idsldap.cltjava60 - idsldap.cltjava60 6.0.0.1 - Directory Server - Java Client
idsldap.cltjava_max_crypto60 - idsldap.cltjava_max_crypto60 6.0.0.1 - Directory Server - Java Client (SSL)
idsldap.msg60.en_US - idsldap.msg 6.0.0.1 - Directory Server - Messages - U.S. English (en)
idsldap.srv64bit60 - idsldap.srv64bit60 6.0.0.1 - Directory Server - 64 bit Server
idsldap.srv_max_cryptoproxy64bit60 - idsldap.srv_max_cryptoproxy64bit60 6.0.0.1 - Directory Server - Proxy
Server (SSL)
idsldap.srvproxy64bit60 - idsldap.srvproxy64bit60 6.0.0.1 - Directory Server - Proxy Server
idsldap.webadmin60 - idsldap.webadmin60 6.0.0.1 - Directory Server - Web Administration
idsldap.webadmin_max_crypto60 - idsldap.webadmin_max_crypto60 6.0.0.1 - Directory Server - Web
Administration (SSL)
ipfl - ipfl 5.3.0.0 - IP Filters
krb5.client - krb5.client 1.4.0.4 - Network Authentication Service Client
krb5.doc.Ja_JP - krb5.doc.Ja_JP 1.4.0.4 - Network Auth Service PDF Documentation - Japanese
krb5.doc.en_US - krb5.doc.en_US 1.4.0.4 - Network Auth Service PDF Documentation - U.S. English
krb5.doc.ko_KR - krb5.doc.ko_KR 1.4.0.4 - Network Auth Service PDF Documentation - Korean
krb5.doc.zh_CN - krb5.doc.zh_CN 1.4.0.4 - Network Auth Service PDF Documentation - Simplified Chinese
krb5.lic - krb5.lic 1.4.0.4 - Network Authentication Service License

krb5.msg.CA_ES - krb5.msg.CA_ES 1.4.0.4 - Network Auth Service Client Msgs - Catalan (UTF)
 krb5.msg.DE_CH - krb5.msg.DE_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss German (UTF)
 krb5.msg.DE_DE - krb5.msg.DE_DE 1.4.0.4 - Network Auth Service Client Msgs - German (UTF)
 krb5.msg.EN_US - krb5.msg.EN_US 1.4.0.4 - Network Auth Service Client Msgs - U.S. English (UTF)
 krb5.msg.ES_ES - krb5.msg.ES_ES 1.4.0.4 - Network Auth Service Client Msgs - Spanish (UTF)
 krb5.msg.FR_CA - krb5.msg.FR_CA 1.4.0.4 - Network Auth Service Client Msgs - Canadian French (UTF)
 krb5.msg.FR_CH - krb5.msg.FR_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss French (UTF)
 krb5.msg.FR_FR - krb5.msg.FR_FR 1.4.0.4 - Network Auth Service Client Msgs - French (UTF)
 krb5.msg.IT_CH - krb5.msg.IT_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss Italian (UTF)
 krb5.msg.IT_IT - krb5.msg.IT_IT 1.4.0.4 - Network Auth Service Client Msgs - Italian (UTF)
 krb5.msg.JA_JP - krb5.msg.JA_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese (UTF)
 krb5.msg.Ja_JP - krb5.msg.Ja_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese
 krb5.msg.KO_KR - krb5.msg.KO_KR 1.4.0.4 - Network Auth Service Client Msgs - Korean (UTF)
 krb5.msg.PT_BR - krb5.msg.PT_BR 1.4.0.4 - Network Auth Service Client Msgs - Braz Portuguese (UTF)
 krb5.msg.ZH_CN - krb5.msg.ZH_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (UTF)
 krb5.msg.ZH_TW - krb5.msg.ZH_TW 1.4.0.4 - Network Auth Service Client Msgs - Traditional Chinese (UTF)
 krb5.msg.Zh_CN - krb5.msg.Zh_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (GBK)
 krb5.msg.Zh_TW - krb5.msg.Zh_TW 1.4.0.4 - Network Auth Service Client Msgs - T-Chinese (big5)
 krb5.msg.ca_ES - krb5.msg.ca_ES 1.4.0.4 - Network Auth Service Client Msgs - Catalan
 krb5.msg.de_CH - krb5.msg.de_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss German
 krb5.msg.de_DE - krb5.msg.de_DE 1.4.0.4 - Network Auth Service Client Msgs - German
 krb5.msg.en_US - krb5.msg.en_US 1.4.0.4 - Network Auth Service Client Msgs - U.S. English
 krb5.msg.es_ES - krb5.msg.es_ES 1.4.0.4 - Network Auth Service Client Msgs - Spanish
 krb5.msg.fr_CA - krb5.msg.fr_CA 1.4.0.4 - Network Auth Service Client Msgs - Canadian French
 krb5.msg.fr_CH - krb5.msg.fr_CH 1.4.0.4 - Network Auth Service Client Msgs - Swiss French
 krb5.msg.fr_FR - krb5.msg.fr_FR 1.4.0.4 - Network Auth Service Client Msgs - French
 krb5.msg.it_IT - krb5.msg.it_IT 1.4.0.4 - Network Auth Service Client Msgs - Italian
 krb5.msg.ja_JP - krb5.msg.ja_JP 1.4.0.4 - Network Auth Service Client Msgs - Japanese (IBM-eucJP)
 krb5.msg.ko_KR - krb5.msg.ko_KR 1.4.0.4 - Network Auth Service Client Msgs - Korean
 krb5.msg.pt_BR - krb5.msg.pt_BR 1.4.0.4 - Network Auth Service Client Msgs - Brazilian Portuguese
 krb5.msg.zh_CN - krb5.msg.zh_CN 1.4.0.4 - Network Auth Service Client Msgs - Simplified Chinese (EUC)
 krb5.msg.zh_TW - krb5.msg.zh_TW 1.4.0.4 - Network Auth Service Client Msgs - Traditional Chinese
 krb5.server - krb5.server 1.4.0.4 - Network Authentication Service Server
 krb5.toolkit - krb5.toolkit 1.4.0.4 - Network Authentication Service App. Dev. Toolkit
 ldap.max_crypto_client - ldap.max_crypto_client 5.2.0.0 - Directory Client Runtime (SSL)
 ldap.max_crypto_server - ldap.max_crypto_server 5.2.0.0 - Directory Server Framework (SSL)
 ldap.max_crypto_webadmin - ldap.max_crypto_webadmin 5.2.0.0 - Directory Administrative Interface (SSL)
 modcrypt.base - modcrypt.base 5.3.0.75 - Cryptographic Library (libmodcrypt.a)
 ndaf.base - ndaf.base 1.1.0.0 - Network Data Administration Facility server
 netsec.options - netsec.options 1.1.0.0 - TCP-wrapper
 openssh.base - openssh.base 4.3.0.5300 - Open Secure Shell Server
 openssh.license - openssh.license 4.3.0.5300 - Open Secure Shell License
 openssh.man.en_US - openssh.man.en_US 4.3.0.5300 - Open Secure Shell Documentation - U.S. English
 openssh.msg.CA_ES - openssh.msg.CA_ES 4.3.0.5300 - Open Secure Shell Messages - Catalan (UTF)
 openssh.msg.CS_CZ - openssh.msg.CS_CZ 4.3.0.5300 - Open Secure Shell Messages - Czech (UTF)
 openssh.msg.DE_DE - openssh.msg.DE_DE 4.3.0.5300 - Open Secure Shell Messages - German (UTF)

openssh.msg.EN_US - openssh.msg.EN_US 4.3.0.5300 - Open Secure Shell Messages - U.S. English (UTF)
 openssh.msg.ES_ES - openssh.msg.ES_ES 4.3.0.5300 - Open Secure Shell Messages - Spanish (UTF)
 openssh.msg.FR_FR - openssh.msg.FR_FR 4.3.0.5300 - Open Secure Shell Messages - French (UTF)
 openssh.msg.HU_HU - openssh.msg.HU_HU 4.3.0.5300 - Open Secure Shell Messages - Hungarian (UTF)
 openssh.msg.IT_IT - openssh.msg.IT_IT 4.3.0.5300 - Open Secure Shell Messages - Italian (UTF)
 openssh.msg.JA_JP - openssh.msg.JA_JP 4.3.0.5300 - Open Secure Shell Messages - Japanese (UTF)
 openssh.msg.Ja_JP - openssh.msg.Ja_JP 4.3.0.5300 - Open Secure Shell Messages - Japanese
 openssh.msg.KO_KR - openssh.msg.KO_KR 4.3.0.5300 - Open Secure Shell Messages - Korean (UTF)
 openssh.msg.PL_PL - openssh.msg.PL_PL 4.3.0.5300 - Open Secure Shell Messages - Polish (UTF)
 openssh.msg.PT_BR - openssh.msg.PT_BR 4.3.0.5300 - Open Secure Shell Messages - Brazilian Portuguese (UTF)
 openssh.msg.RU_RU - openssh.msg.RU_RU 4.3.0.5300 - Open Secure Shell Messages - Russian (UTF)
 openssh.msg.SK_SK - openssh.msg.SK_SK 4.3.0.5300 - Open Secure Shell Messages - Slovak (UTF)
 openssh.msg.ZH_CN - openssh.msg.ZH_CN 4.3.0.5300 - Open Secure Shell Messages - Simplified Chinese (UTF)
 openssh.msg.ZH_TW - openssh.msg.ZH_TW 4.3.0.5300 - Open Secure Shell Messages - Traditional Chinese (UTF)
 openssh.msg.Zh_CN - openssh.msg.Zh_CN 4.3.0.5300 - Open Secure Shell Messages - Simplified Chinese (GBK)
 openssh.msg.Zh_TW - openssh.msg.Zh_TW 4.3.0.5300 - Open Secure Shell Messages - Traditional Chinese (big5)
 openssh.msg.ca_ES - openssh.msg.ca_ES 4.3.0.5300 - Open Secure Shell Messages - Catalan
 openssh.msg.cs_CZ - openssh.msg.cs_CZ 4.3.0.5300 - Open Secure Shell Messages - Czech
 openssh.msg.de_DE - openssh.msg.de_DE 4.3.0.5300 - Open Secure Shell Messages - German
 openssh.msg.en_US - openssh.msg.en_US 4.3.0.5300 - Open Secure Shell Messages - U.S. English
 openssh.msg.es_ES - openssh.msg.es_ES 4.3.0.5300 - Open Secure Shell Messages - Spanish
 openssh.msg.fr_FR - openssh.msg.fr_FR 4.3.0.5300 - Open Secure Shell Messages - French
 openssh.msg.hu_HU - openssh.msg.hu_HU 4.3.0.5300 - Open Secure Shell Messages - Hungarian
 openssh.msg.it_IT - openssh.msg.it_IT 4.3.0.5300 - Open Secure Shell Messages - Italian
 openssh.msg.ja_JP - openssh.msg.ja_JP 4.3.0.5300 - Open Secure Shell Messages - Japanese IBM-eucJP
 openssh.msg.ko_KR - openssh.msg.ko_KR 4.3.0.5300 - Open Secure Shell Messages - Korean
 openssh.msg.pl_PL - openssh.msg.pl_PL 4.3.0.5300 - Open Secure Shell Messages - Polish
 openssh.msg.pt_BR - openssh.msg.pt_BR 4.3.0.5300 - Open Secure Shell Messages - Brazilian Portuguese
 openssh.msg.ru_RU - openssh.msg.ru_RU 4.3.0.5300 - Open Secure Shell Messages - Russian
 openssh.msg.sk_SK - openssh.msg.sk_SK 4.3.0.5300 - Open Secure Shell Messages - Slovak
 openssh.msg.zh_CN - openssh.msg.zh_CN 4.3.0.5300 - Open Secure Shell Messages - Simplified Chinese
 openssh.msg.zh_TW - openssh.msg.zh_TW 4.3.0.5300 - Open Secure Shell Messages - Traditional Chinese
 rsct.crypt.3des - rsct.crypt.3des 2.4.5.0 - RSCT Security Triple-DES Encryption Modules
 rsct.crypt.aes128 - rsct.crypt.aes128 2.4.5.0 - RSCT Security AES 128-Bit Encryption Modules
 rsct.crypt.aes256 - rsct.crypt.aes256 2.4.5.0 - RSCT Security AES 256-Bit Encryption Modules
 rsct.crypt.des - rsct.crypt.des 2.4.5.0 - RSCT Security DES Encryption Modules
 rsct.crypt.rsa1024 - rsct.crypt.rsa1024 2.4.5.0 - RSCT Security RSA 1024-Bit Encryption Modules
 rsct.crypt.rsa512 - rsct.crypt.rsa512 2.4.5.0 - RSCT Security RSA 512-Bit Encryption Modules
 rsct.exp - rsct.exp 2.4.5.0 - RSCT CIM Resource Manager
 snmp.crypto - snmp.crypto 5.3.0.0 - 56-bit DES Encrypted SNMPV3 Support
 sysmgt.pegasus.cimserver - sysmgt.pegasus.cimserver 2.5.1.0 - Pegasus CIM Server Runtime Environment
 sysmgt.pegasus.osbaseproviders - sysmgt.pegasus.osbaseproviders 1.2.6.0 - Base Providers for AIX OS
 sysmgt.pegasus.smisproviders - sysmgt.pegasus.smisproviders 1.1.0.0 - SMI-S Providers for AIX OS
 sysmgt.websm.security-us - sysmgt.websm.security-us 5.3.0.0 - Web-based System Manager Security for US
 sysmgt.websm.security - sysmgt.websm.security 5.3.0.0 - Web-based System Manager Security
 sysmgt.websm.security-us - sysmgt.websm.security-us 5.3.0.0 - Web-based System Manager Security for US

tts_access.base.en_US - tts_access.base.en_US 6.7.4.0 - IBM Text-to-Speech runtime - U.S. English
tts_access.base - tts_access.base 6.7.4.0 - IBM Text-to-Speech runtime base
tts_access.base.en_US - tts_access.base.en_US 6.7.4.0 - IBM Text-to-Speech runtime - U.S. English
xlC.aix50_8. - xlC.aix50 8.0.0.4 - C Set ++ Runtime for AIX 5.
xlC.cpp_6.0.1 - xlC.cpp 6.0.0.1 - C for AIX Preprocessor
xlC.msg.Ja_JP_8. - xlC.msg.Ja_JP 8.0.0.4 - C Set ++ Runtime Messages--Japanese
xlC.msg.en_US_8. - xlC.msg.en_US 8.0.0.4 - C Set ++ Runtime Messages--U.S. English
xlC.msg.ja_JP_8. - xlC.msg.ja_JP 8.0.0.4 - C Set ++ Runtime Messages--Japanese IBM-eucJP
xlC.rte_8. - xlC.rte 8.0.0.4 - C Set ++ Runtime
xlfrte.aix51_10.1 - xlfrte.aix51 10.1.0.1 - XL Fortran Runtime Environment AIX 5.1 Libraries
xlfrte.msg.EN_US_10.1 - xlfrte.msg.EN_US 10.1.0.1 - XL Fortran Runtime Environment Messages - U.S. English
UTF-8
xlfrte.msg.JA_JP_10.1 - xlfrte.msg.JA_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
UTF-8
xlfrte.msg.Ja_JP_10.1 - xlfrte.msg.Ja_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
xlfrte.msg.en_US_10.1 - xlfrte.msg.en_US 10.1.0.1 - XL Fortran Runtime Messages - U.S. English
xlfrte.msg.ja_JP_10.1 - xlfrte.msg.ja_JP 10.1.0.1 - XL Fortran Runtime Environment Messages - Japanese
IBM-eucJP
xlfrte_10.1 - xlfrte 10.1.0.1 - XL Fortran Runtime Environment
xlsmpr.aix50.rte_1.6 - xlsmpr.aix50.rte 1.6.0.0 - SMP Runtime Libraries for AIX 5.
xlsmpr.msg.EN_US.rte_1.6 - xlsmpr.msg.EN_US.rte 1.6.0.0 - XL SMP Runtime Messages - U.S. English UTF-8
xlsmpr.msg.JA_JP.rte_1.6 - xlsmpr.msg.JA_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese UTF-8
xlsmpr.msg.Ja_JP.rte_1.6 - xlsmpr.msg.Ja_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese
xlsmpr.msg.ZH_CN.rte_1.6 - xlsmpr.msg.ZH_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese UTF-8
xlsmpr.msg.Zh_CN.rte_1.6 - xlsmpr.msg.Zh_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese
xlsmpr.msg.en_US.rte_1.6 - xlsmpr.msg.en_US.rte 1.6.0.0 - XL SMP Runtime Messages - U.S. English
xlsmpr.msg.ja_JP.rte_1.6 - xlsmpr.msg.ja_JP.rte 1.6.0.0 - XL SMP Runtime Messages - Japanese IBM-eucJP
xlsmpr.msg.zh_CN.rte_1.6 - xlsmpr.msg.zh_CN.rte 1.6.0.0 - XL SMP Runtime Messages - Simplified Chinese
IBM-eucCN
xlsmpr.rte_1.6 - xlsmpr.rte 1.6.0.0 - SMP Runtime Library

END OF DOCUMENT