

# IBM Power Systems Legacy Systems I/O Facts and Features Document

Feb 29, 2009

Terms: A = Available for Order, M = Migrateable -- the device can be installed,  
-- = Not Available, X = Operating System support

## *Table of Contents*

IBM eServer™ p5 Server Features

IBM eServer OpenPower® Server Features

IBM eServer pSeries® 6xx Server Features

Cluster Switch Features

I/O Drawers Features

Racks Features

TotalStorage® EXP24 Features

Other Features

		Systems							Operating Systems							
		9110-510	9111-520	9113-550	9117-570	9118-575	9119-590	9119-595	RedHat			Novell		IBM		
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer p5 510	eServer p5 520	eServer p5 550	eServer p5 570	eServer p5 575	eServer p5 590	eServer p5 595	RHEL 3	RHEL 4.x	RHEL 5.x	SLES 9.x	SLES 10.x	AIX 5.2	AIX 5.3	AIX 6.1
Description																
<b>SCSI DASD UTC</b>																
3157	18.2 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	---	---	---	M	M	M	X	X	X	X	X	X	X	X
3158	36.4 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	---	---	---	M	M	M	X	X	X	X	X	X	X	X
3159	73.4 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	---	---	---	M	M	M	X	X	X	X	X	X	X	X
3273	36.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	M	---	M	M	M	M	X	X	X	X	X	X	X	X
3274	73.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3275	146.8 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3578	300 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	---	---	X	X	X	X	X	X	X	X
3277	36.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3278	73.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3279	146.8 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>SCSI Adapters</b>																
5710	PCI-X Dual Channel Ultra320 SCSI Adapter	---	---	---	---	M	M	M	X	X	X	X	X	X	X	X
5712	PCI-X Dual Channel Ultra320 SCSI Adapter	M	M	M	M	---	---	---	X	X	X	X	X	X	X	X
5736	PCI-X DDR Dual Channel Ultra320 SCSI Adapter	A	A	A	A	A	A	A	---	X	X	X	X	X	X	X
6203	PCI Dual Channel Ultra3 SCSI Adapter	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
6204	PCI Ultra SCSI Differential Adapter	---	M	M	M	M	M	M	X	X	X	X	X	X	X	X
<b>SCSI RAID Adapters</b>																
5703	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	M	M	M	M	---	---	---	X	X	X	X	X	X	X	X
5711	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	---	---	---	---	M	M	M	X	X	X	X	X	X	X	X
5737	PCI-X DDR Dual Channel Ultra320 SCSI RAID Adapter	A	A	A	A	A	A	A	---	X	X	X	X	X	X	X
<b>SCSI RAID Daughter Cards</b>																
5709	Dual Channel SCSI RAID Enablement Card	---	M	M	M	---	---	---	X	X	X	X	X	X	X	X
5726	Dual Channel SCSI RAID Enablement Card	---	---	---	M	---	---	---	X	X	X	X	X	X	X	X
5727	Dual Channel SCSI RAID Enablement Card	---	A	A	---	---	---	---	X	X	X	X	X	X	X	X
5728	Dual Channel SCSI RAID Enablement Card	---	---	---	A	---	---	---	X	X	X	X	X	X	X	X
<b>SSA Adapters</b>																
6230	SSA RAID Adapter	---	M	M	M	M	M	M	---	---	---	---	---	X	X	X
6231	SSA 128 MB DIMM	---	M	M	M	M	M	M	---	---	---	---	---	X	X	X
6235	SSA RAID Fast Write Cache	---	M	M	M	M	M	M	---	---	---	---	---	X	X	X
<b>iSCSI Adapters</b>																
5713	1 Gigabit iSCSI TOE PCI-X on twisted-pair copper media Adapter	A	A	A	A	A	A	A	---	---	---	X	X	X	X	X
5714	1 Gigabit iSCSI TOE PCI-X on optical media Adapter	A	A	A	A	A	A	A	---	---	---	X	X	X	X	X
<b>Fibre Channel Adapters</b>																
5716	2 Gigabit Fibre Channel 1-Port PCI-X Adapter	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
6228	2 Gigabit Fibre Channel 1-Port PCI Adapter	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
6239	2 Gigabit Fibre Channel 1-Port PCI Adapter	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
5758	4 Gigabit Fibre Channel 1-Port PCI-X DDR Adapter	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5759	4 Gigabit Fibre Channel 2-Port PCI-X DDR Adapter	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>Ethernet Adapters</b>																
4961	4 Port 10/100 Mbps Ethernet PCI	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
4962	1 Port 10/100 Mbps Ethernet PCI II	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
5700	IBM Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X

		Systems							Operating Systems							
		9110-510	9111-520	9113-550	9117-570	9118-575	9119-590	9119-595	RedHat			Novell		IBM		
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer p5 510	eServer p5 520	eServer p5 550	eServer p5 570	eServer p5 575	eServer p5 590	eServer p5 595	RHEL 3	RHEL 4.x	RHEL 5.x	SLES 9.x	SLES 10.x	AIX 5.2	AIX 5.3	AIX 6.1
Description																
5701	IBM 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5706	IBM 2 Port 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5707	IBM 2 Port Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5740	4 Port 10/100/1000 Base-T Ethernet PCI-X Adapter (Copper)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>10 Gig Ethernet Adapters</b>																
5718	IBM 1 Port 10 Gigabit Ethernet-SR PCI-X Adapter	M	M	M	M	M	M	M	---	X	X	X	X	X	X	X
5719	IBM 1 Port 10 Gigabit Ethernet-LR PCI-X Adapter	M	M	M	M	M	M	M	---	X	X	X	X	X	X	X
5721	IBM 1 Port 10 Gigabit Ethernet-SR PCI-X 2.0 DDR Adapter	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5722	IBM 1 Port 10 Gigabit Ethernet-LR PCI-X 2.0 DDR Adapter	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>Token Ring Adapters</b>																
4959	IBM 4/16 PCI Token Ring Adapter	M	M	M	M	M	M	M	---	---	---	---	---	X	X	X
<b>ATM</b>																
2946	622 MBS ATM Fibre Adapter	---	---	---	M	M	M	M	---	---	---	---	---	X	X	X
4953	155 MBS ATM UTP Adapter	---	---	---	M	M	M	M	---	---	---	---	---	X	X	X
4957	155 MBS ATM Fibre Adapter	---	---	---	M	M	M	M	---	---	---	---	---	X	X	X
<b>WAN Adapters</b>																
2947	IBM ARTIC960Hx 4 Port Multiprotocol PCI Adapter	M	M	M	M	M	M	M	---	---	---	---	---	X	X	X
2962	IBM Dual Port Multiprotocol Adapter	M	M	M	M	M	M	M	---	---	---	---	---	X	X	X
6312	Quad Digital Trunk Telephony PCI Adapter	---	A	A	---	---	---	---	---	---	---	---	---	X	X	X
<b>Async Adapters</b>																
2943	8 Port Async Adapter	A	A	A	A	A	A	A	---	---	---	---	---	X	X	X
2944	128 Port Async Adapter	M	M	M	M	M	M	M	---	---	---	---	---	X	X	X
5723	2 Port Asynchronous EIA-232 PCI Adapter	A	A	A	A	A	A	A	---	X	X	X	X	X	X	X
7036-P16	16 Port Asynchronous RAN	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>InfiniBand Adapters</b>																
1809	IBM GX Dual-port 4x IB HCA	---	---	A	---	---	---	---	---	---	---	X	X	---	X	X
1810	IBM GX Dual-port 4x IB HCA	---	---	---	A	---	---	---	---	---	---	X	X	---	X	X
1811	IBM GX Dual-port 4x IB HCA	---	---	---	---	A	---	---	---	---	---	X	X	---	X	X
7820	IBM GX Dual-port 12x IB HCA	---	---	---	---	---	A	A	---	---	---	X	X	---	X	X
<b>InfiniBand Cables</b>																
1835	3.0 Meter 4x IB Cable	A	A	A	A	A	---	---	---	X	X	X	X	---	X	X
1836	8.0 Meter 4x IB Cable	A	A	A	A	A	---	---	---	X	X	X	X	---	X	X
1838	8.0 Meter 1 12x IB to 3 4x IB Cable	---	---	---	---	---	A	A	---	---	---	X	X	---	X	X
1839	1.5 Meter 4x IB Cable	A	A	A	A	---	---	---	---	X	X	X	X	---	X	X
<b>Graphics Adapters</b>																
2848	POWER GXT135P 2D Graphics Accelerator	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
2849	POWER GXT135P 2D Graphics Accelerator	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>Cryptography Adapters</b>																
4764	Crypto Express2 FIPS4	A	A	A	A	A	A	A	---	---	---	---	---	X	X	X
4963	Crypto Co-Processor FIPS4	---	---	---	M	M	M	M	---	---	---	---	---	X	X	X
4964	Crypto Co-Processor FIPS3	---	---	---	M	M	M	M	---	---	---	---	---	X	X	X

		Systems							Operating Systems							
		9110-510	9111-520	9113-550	9117-570	9118-575	9119-590	9119-595	RedHat			Novell		IBM		
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer p5 510	eServer p5 520	eServer p5 550	eServer p5 570	eServer p5 575	eServer p5 590	eServer p5 595	RHEL 3	RHEL 4.x	RHEL 5.x	SLES 9.x	SLES 10.x	AIX 5.2	AIX 5.3	AIX 6.1
Description																
<b>Displays</b>																
3641	15-inch Color TFT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3643	20-inch Color TFT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3644	19-inch Color TFT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3645	17-inch Color TFT	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
3627	17-inch Color Monitor	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
3628	21-inch Color Monitor	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
3635	21-inch Color TFT	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
3636	20-inch Color TFT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3637	15-inch Color TFT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3638	21-inch Color CRT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3639	17-inch Color TFT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3640	17-inch Color TFT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
3642	19-inch Color TFT	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
<b>USB Adapters</b>																
2737	2 Port USB 1.1 PCI Adapter	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
2738	2 Port USB 2.0 PCI Adapter	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>DVD RAM Drives</b>																
5751	IBM 4.7 GB IDE Slimline DVD-RAM Drive	A	A	A	A	---	---	---	X	X	X	X	X	X	X	X
5752	IBM DVD RAM Drive	---	---	---	---	---	A	A	X	X	X	X	X	X	X	X
<b>DVD ROM Drives</b>																
2634	IBM DVD ROM Drive	---	---	---	---	---	M	M	X	X	X	X	X	X	X	X
2640	IBM IDE Slimline DVD-ROM Drive	M	M	M	M	---	---	---	X	X	X	X	X	X	X	X
<b>Diskette Drives</b>																
2591	External USB 1.44 MB Diskette Drive	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>Internal Tape</b>																
5755	IBM LTO-2 200/400 GB LVD Tape Drive	---	A	A	---	---	A	A	---	X	X	X	X	X	X	X
6120	IBM VXA-2 80/160 GB LVD Tape Drive	---	M	M	---	---	M	M	X	X	X	X	X	X	X	X
6258	IBM 4MM 36/72 GB DAT72 LVD Tape Drive	---	A	A	---	---	A	A	X	X	X	X	X	X	X	X
6279	IBM VXA-3 160/320 GB LVD Tape Drive	---	A	A	---	---	A	A	---	X	X	X	X	X	X	X
<b>Memory</b>																
4443	512 MB (2x256 MB) DDR1 DIMMS	A	A	A	---	---	---	---	X	X	X	X	X	X	X	X
4444	1 GB (4x256 MB) DDR1 DIMMS	A	A	A	A	---	---	---	X	X	X	X	X	X	X	X
4445	4 GB (4x1 GB) DDR1 DIMMS	A	A	A	---	---	---	---	X	X	X	X	X	X	X	X
4447	2 GB (4x512 MB) DDR1 DIMMS	A	A	A	---	---	---	---	X	X	X	X	X	X	X	X
4449	8 GB (4x2 GB) DDR1 DIMMS	A	A	A	---	---	---	---	X	X	X	X	X	X	X	X
4450	16 GB (4x4 GB) DDR1 DIMMS	A	A	A	---	---	---	---	X	X	X	X	X	X	X	X
4452	2 GB (4x512 MB) DDR1 DIMMS	---	---	---	A	A	---	---	X	X	X	X	X	X	X	X
4453	4 GB (4x1 GB) DDR1 DIMMS	---	---	---	M	---	---	---	X	X	X	X	X	X	X	X
4454	8 GB (4x2 GB) DDR1 DIMMS	---	---	---	A	A	---	---	X	X	X	X	X	X	X	X
4490	4 GB (4x1 GB) DDR1 DIMMS	---	---	---	A	A	---	---	X	X	X	X	X	X	X	X
4491	16 GB (4x4 GB) DDR1 DIMMS	---	---	---	A	A	---	---	X	X	X	X	X	X	X	X

		Systems							Operating Systems								
		9110-510	9111-520	9113-550	9117-570	9118-575	9119-590	9119-595	RedHat			Novell		IBM			
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer p5510	eServer p5520	eServer p5550	eServer p5570	eServer p5575	eServer p5590	eServer p5595	RHEL 3	RHEL 4.x	RHEL 5.x	SLES 9.x	SLES 10.x	AIX 5.2	AIX 5.3	AIX 6.1	
Description																	
4492	32 GB (4x4 GB) DDR1 DIMMS	---	---	---	A	---	---	---	X	X	X	X	X	X	X	X	
4494	16 GB (4x4 GB) DDR1 DIMMS	---	---	---	A	---	---	---	X	X	X	X	X	X	X	X	
4495	4/8 GB (4x2 GB) DDR2 DIMMS	---	---	---	A	---	---	---	X	X	X	X	X	X	X	X	
4496	8/16 GB (4x4 GB) DDR2 DIMMS	---	---	---	A	---	---	---	X	X	X	X	X	X	X	X	
4497	16 GB (4x4 GB) DDR2 DIMMS	---	---	---	A	---	---	---	X	X	X	X	X	X	X	X	
4498	32 GB (4x8 GB) DDR2 DIMMS	---	---	---	A	---	---	---	X	X	X	X	X	X	X	X	
7892	2 GB (4x512 MB) DDR2 DIMMS	---	---	---	A	A	---	---	X	X	X	X	X	X	X	X	
7893	4 GB (4x1 GB) DDR2 DIMMS	---	---	---	A	A	---	---	X	X	X	X	X	X	X	X	
7894	8 GB (4x2 GB) DDR2 DIMMS	---	---	---	A	A	---	---	X	X	X	X	X	X	X	X	
7896	16 GB (4x4 GB) DDR2 DIMMS	---	---	---	---	A	---	---	X	X	X	X	X	X	X	X	

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems		Operating Systems				
		9123-710	9124-720	RedHat			Novell	
<b>A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported</b>		eServer OpenPower 710	eServer OpenPower 720	RHEL 3	RHEL 4.x	RHEL 5	SLES 9	SLES 10
<b>Description</b>								
<b>SCSI DASD UTC</b>								
1968	73.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	X	X	X	X	X
1969	146.8 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	X	X	X	X	X
1970	36.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	X	X	X	X	X
1971	73.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	X	X	X	X	X
1972	146.8 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	X	X	X	X	X
1973	300 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	X	X	X	X	X
<b>SCSI Adapters</b>								
1907	Dual Channel SCSI RAID Enablement Daughter Card	---	A	---	X	X	X	X
1912	PCI-X DDR Dual Channel Ultra320 LVD SCSI Adapter	A	A	---	X	X	X	X
1913	PCI-X DDR Dual Channel Ultra320 SCSI RAID Adapter	A	A	---	X	X	X	X
1974	PCI-X Dual Channel Ultra320 LVD SCSI Adapter	M	M	---	X	X	X	X
1975	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	M	M	X	X	X	X	X
1976	Dual Channel SCSI RAID Enablement Daughter Card	---	M	X	X	X	X	X
<b>iSCSI Adapters</b>								
1986	PCI-X DDR 1 Gigabit iSCSI TOE on twisted-pair copper media Adapter	A	A	---	---	---	X	X
1987	PCI-X DDR 1 Gigabit iSCSI TOE on optical media Adapter	A	A	---	---	---	X	X
<b>Fibre Channel Adapters</b>								
1977	2 Gigabit Fibre Channel 1-Port PCI-X Adapter	M	M	X	X	X	X	X
1909	4 Gigabit Fibre Channel 1-Port PCI-X DDR Adapter	A	A	---	X	X	X	X
1910	4 Gigabit Fibre Channel 2-Port PCI-X DDR Adapter	A	A	---	X	X	X	X
<b>Ethernet Adapters</b>								
1954	IBM 4-Port 10/100/1000 Base-T Ethernet PCI-X DDR Adapter (Copper)	A	A	---	X	X	X	X
1978	IBM Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	X	X	X	X	X
1979	IBM 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	X	X	X	X	X
1981	IBM 1-Port 10 Gigabit Ethernet-SR PCI-X Adapter	M	M	---	X	X	X	X
1982	IBM 1-Port 10 Gigabit Ethernet-LR PCI-X Adapter	M	M	---	X	X	X	X
1983	IBM 2-Port 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	X	X	X	X	X
1984	IBM 2-Port Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	X	X	X	X	X
5721	IBM 1-Port 10 Gigabit Ethernet-SR PCI-X 2.0 DDR Adapter	A	A	---	X	X	X	X
5722	IBM 1-Port 10 Gigabit Ethernet-LR PCI-X 2.0 DDR Adapter	A	A	---	X	X	X	X
<b>Async Adapters</b>								

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems		Operating Systems				
		9123-710	9124-720	RedHat			Novell	
<b>A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported</b>		eServer OpenPower 710	eServer OpenPower 720	RHEL 3	RHEL 4.x	RHEL 5	SLES 9	SLES 10
<b>Description</b>								
5723	2 Port Asynchronous EIA-232 PCI Adapter	A	A	---	X	X	X	X
<b>InfiniBand Adapters</b>								
1809	IBM GX Dual port 4x IB HCA	---	A	---	---	---	X	X
1820	PCI-X Dual-port 4x IB HCA	A	A	---	---	---	X	X
<b>Graphics Adapters</b>								
1980	POWER GXT135P 2D Graphics Accelerator	A	A	X	X	X	X	X
<b>Miscellaneous Adapters</b>								
2738	2 Port USB PCI Adapter	A	A	X	X	X	X	X
<b>DVD Drives</b>								
1993	IBM 4.7 GB IDE Slimline DVD-RAM Drive	A	A	X	X	X	X	X
1994	IBM IDE Slimline DVD-ROM Drive	A	A	X	X	X	X	X
<b>Diskette Drives</b>								
2591	External USB 1.44 MB Diskette Drive	A	A	X	X	X	X	X
<b>Internal Tape</b>								
1892	IBM VXA-3 160/320 GB LVD Tape Drive	---	A	---	X	X	X	X
1991	IBM 4MM 36/72 GB DAT72 LVD Tape Drive	---	A	X	X	X	X	X
1992	IBM VXA-2 80/160 GB LVD Tape Drive	---	M	X	X	X	X	X
1997	IBM LTO-2 200/400 GB LVD Tape Drive	---	A	---	X	X	X	X

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems							
		7028-6C1/E1	7029-6C3	7029-6E3	7028-6C4	7028-6E4	7026-B80	7038-6M2	7039-651
<b>A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported</b>		eServer pSeries 610	eServer pSeries 615	eServer pSeries 615	eServer pSeries 630	eServer pSeries 630	eServer pSeries 640	eServer pSeries 650	eServer pSeries 655
<b>FC</b>	<b>Description</b>								
<b>SCSI DASD UTC</b>									
3157	18.2 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	---	---	M	M	---	M	M
3158	36.4 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	---	---	M	M	---	M	M
3159	73.4 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	---	---	M	M	M	M	M
3273	36.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	---	---	---	M	M
3274	73.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	---	---	M	M
3275	146.8 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	---	M	M
3277	36.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	M	M	M
3278	73.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	---	M	M
3279	146.8 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	A	A	A	A	A	---	A	A
3578	300 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M	M	M	M	---	M	M
<b>SCSI Adapters</b>									
5710	PCI-X Dual Channel Ultra320 SCSI Adapter	---	---	---	---	---	---	M	M
5712	PCI-X Dual Channel Ultra320 SCSI Adapter	M	M	M	M	M	M	---	---
5736	PCI-X DDR Dual Channel Ultra320 SCSI Adapter	---	---	---	---	---	---	---	---
6203	PCI Dual Channel Ultra3 SCSI Adapter	M	M	M	M	M	M	M	M
6204	PCI Ultra SCSI Differential Adapter	M	M	M	M	M	M	M	M
<b>SCSI RAID Adapters</b>									
5703	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	M	M	M	M	M	M	---	---
5711	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	---	---	---	---	---	---	M	M
5737	PCI-X DDR Dual Channel Ultra320 SCSI RAID Adapter	---	---	---	---	---	---	---	---
<b>SCSI RAID Daughter Cards</b>									
5709	Dual Channel SCSI RAID Enablement Card	M	M	M	---	---	---	---	---
<b>SSA Adapters</b>									
6230	SSA RAID Adapter	M	M	M	M	M	M	M	M
6231	SSA 128 MB DIMM	M	M	M	M	M	M	M	M
6235	SSA RAID Fast Write Cache	M	M	M	M	M	M	M	M
<b>iSCSI Adapters</b>									
5713	1 Gigabit iSCSI TOE PCI-X -- Copper	---	---	---	---	---	---	---	---
5714	1 Gigabit iSCSI TOE PCI-X -- Fibre	---	---	---	---	---	---	---	---
<b>Fibre Channel Adapters</b>									

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems							
		7028-6C1/E1	7029-6C3	7029-6E3	7028-6C4	7028-6E4	7026-B80	7038-6M2	7039-651
<b>A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported</b>		eServer pSeries 610	eServer pSeries 615	eServer pSeries 615	eServer pSeries 630	eServer pSeries 630	eServer pSeries 640	eServer pSeries 650	eServer pSeries 655
<b>FC</b>	<b>Description</b>								
5716	2 Gigabit Fibre Channel 1-Port PCI-X Adapter	M	M	M	M	M	---	M	M
6228	2 Gigabit Fibre Channel 1-Port PCI Adapter	M	M	M	M	M	M	M	M
6239	2 Gigabit Fibre Channel 1-Port PCI Adapter	M	M	M	M	M	M	M	M
<b>Ethernet Adapters</b>									
4961	4-Port 10/100 Mbps Ethernet PCI	M	M	M	M	M	M	M	M
4962	1-Port 10/100 Mbps Ethernet PCI II	M	M	M	M	M	M	M	M
5700	IBM Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	A	A	A	A	A	A
5701	IBM 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	A	A	A	A	A	A
5706	IBM 2-Port 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	A	A	A	A	A	A
5707	IBM 2-Port Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	A	A	A	A	A	A
5740	4-Port 10/100/1000 Base-T Ethernet PCI-X Adapter (Copper)	---	---	---	---	---	---	---	---
<b>10 Gig Ethernet Adapters</b>									
5718	IBM 1-Port 10 Gigabit Ethernet-SR PCI-X Adapter	M	M	M	M	M	M	M	M
5719	IBM 1-Port 10 Gigabit Ethernet-LR PCI-X Adapter	M	M	M	M	M	M	M	M
5721	IBM 1-Port 10 Gigabit Ethernet-SR PCI-X 2.0 DDR Adapter	A	A	A	A	A	A	A	A
5722	IBM 1-Port 10 Gigabit Ethernet-LR PCI-X 2.0 DDR Adapter	A	A	A	A	A	A	A	A
<b>Token Ring Adapters</b>									
4959	IBM 4/16 PCI Token Ring Adapter	M	M	M	M	M	M	M	M
<b>ATM</b>									
2946	622 MBS ATM Fibre Adapter	M	M	M	M	M	M	M	M
4953	155 MBS ATM UTP Adapter	M	M	M	M	M	M	M	M
4957	155 MBS ATM Fibre Adapter	M	M	M	M	M	M	M	M
<b>WAN Adapters</b>									
2947	IBM ARTIC960Hx 4-Port Multiprotocol PCI Adapter	M	M	M	M	M	M	M	M
2962	IBM Dual Port Multiprotocol Adapter	M	M	M	M	M	M	M	---
6312	Quad Digital Trunk Telephony PCI Adapter	---	A	A	A	A	A	---	---
<b>Async Adapters</b>									
2943	8 Port Async Adapter	A	A	A	A	A	A	A	A
2944	128 Port Async Adapter	M	M	M	M	M	M	M	M
5723	2 Port Asynchronous EIA-232 PCI Adapter	A	A	A	A	A	A	A	A
7036-P16	16 Port Asynchronous RAN	A	A	A	A	A	A	A	A

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems							
		7028-6C1/E1	7029-6C3	7029-6E3	7028-6C4	7028-6E4	7026-B80	7038-6M2	7039-651
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer pSeries 610	eServer pSeries 615	eServer pSeries 615	eServer pSeries 630	eServer pSeries 630	eServer pSeries 640	eServer pSeries 650	eServer pSeries 655
<b>FC</b>	<b>Description</b>								
	<b>FDDI</b>								
2741	FDDI-SAS	---	---	---	M	M	M	---	---
2742	FDDI -DAS	---	---	---	M	M	M	---	---
	<b>Graphics Adapters</b>								
2842	POWER GXT4500P 3D Graphics Accelerator	---	---	---	A	A	A	---	---
2843	POWER GXT6500P 3D Graphics Accelerator	---	---	---	A	A	A	---	---
2848	POWER GXT135P 2D Graphics Accelerator	M	M	---	M	M	M	M	M
2849	POWER GXT135P 2D Graphics Accelerator	A	A	A	A	A	A	A	A
	<b>Displays</b>								
3641	15-inch Color TFT	M	M	M	M	M	M	M	M
3643	20-inch Color TFT	M	M	M	M	M	M	M	M
3644	19-inch Color TFT	M	M	M	M	M	M	M	M
3645	17-inch Color TFT	A	A	A	A	A	A	A	A
3627	17-inch Color Monitor	---	---	---	M	M	M	M	M
3628	21-inch Color Monitor	M	M	M	M	M	M	M	M
3635	21-inch Color TFT	---	---	---	M	M	M	M	M
3636	20-inch Color TFT	M	M	M	M	M	M	M	M
3637	15-inch Color TFT	M	M	M	M	M	M	M	M
3638	21-inch Color CRT	M	M	M	M	M	M	M	M
3639	17-inch Color TFT	M	M	M	M	M	M	M	M
3640	17-inch Color TFT	M	M	M	M	M	M	M	M
3642	19-inch Color TFT	M	M	M	M	M	M	M	M
	<b>USB Adapters</b>								
2737	2 Port USB 1.1 PCI Adapter	M	M	M	M	M	M	M	M
2738	2 Port USB 2.0 PCI Adapter	A	A	A	A	A	---	A	A
	<b>DVD RAM Drives</b>								
2623	IBM 4.7 GB DVD-RAM Drive	M	M	M	M	M	M	---	---
5752	IBM DVD RAM Drive	A	A	A	A	A	A	---	---
	<b>DVD ROM Drives</b>								
2640	IBM IDE Slimline DVD-ROM Drive	M	M	M	---	---	---	---	---
	<b>Diskette Drives</b>								

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems							
		7028-6C1/E1	7029-6C3	7029-6E3	7028-6C4	7028-6E4	7026-B80	7038-6M2	7039-651
<b>A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported</b>		eServer pSeries 610	eServer pSeries 615	eServer pSeries 615	eServer pSeries 630	eServer pSeries 630	eServer pSeries 640	eServer pSeries 650	eServer pSeries 655
<b>FC</b>	<b>Description</b>								
2591	External USB 1.44 MB Diskette Drive	---	---	---	---	---	---	---	---
<b>Internal Tape</b>									
5755	IBM LTO-2 200/400 GB LVD Tape Drive	---	---	---	---	---	---	---	---
6120	IBM VXA-2 80/160 GB LVD Tape Drive	M	M	M	M	M	M	---	---
6158	IBM 4MM 36/72 GB DAT72 LVD Tape Drive	M	M	M	M	M	M	---	---
6279	IBM VXA-3 160/320 GB LVD Tape Drive	---	---	---	---	---	---	---	---

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

					Operating Systems									
		7026-6H1/M1	7040-671	7040-681	RedHat		Novell			IBM				
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer pSeries 660	eServer pSeries 670	eServer pSeries 690	RHEL 3	RHEL 4	RHEL 5	SLES 8	SLES 9	SLES 10	AIX 5.1	AIX 5.2	AIX 5.3	AIX 6.1
FC	Description													
<b>SCSI DASD UTC</b>														
3157	18.2 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	M	M	X	X	X	X	X	X	X	X	X	X
3158	36.4 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	M	M	X	X	X	X	X	X	X	X	X	X
3159	73.4 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	M	M	X	X	X	X	X	X	X	X	X	X
3273	36.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	X	X	X	X	X	X	X	X	X	X
3274	73.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	X	X	X	X	X	X	X	X	X	X
3275	146.8 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	M	M	X	X	X	X	X	X	X	X	X	X
3277	36.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	---	M	M	X	X	X	X	X	X	X	X	X	X
3278	73.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	---	M	M	X	X	X	X	X	X	X	X	X	X
3279	146.8 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	---	A	A	X	X	X	X	X	X	X	X	X	X
3578	300 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	M	M	X	X	X	X	X	X	X	X	X	X
<b>SCSI Adapters</b>														
5710	PCI-X Dual Channel Ultra320 SCSI Adapter	---	M	M	X	X	X	X	X	X	X	X	X	X
5712	PCI-X Dual Channel Ultra320 SCSI Adapter	---	---	---	X	X	X	X	X	X	---	X	X	X
5736	PCI-X DDR Dual Channel Ultra320 SCSI Adapter	---	---	---	---	X	X	X	X	X	---	X	X	X
6203	PCI Dual Channel Ultra3 SCSI Adapter	M	M	M	X	X	X	X	X	X	X	X	X	X
6204	PCI Ultra SCSI Differential Adapter	M	M	M	X	X	X	X	X	X	X	X	X	X
<b>SCSI RAID Adapters</b>														
5703	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	---	---	---	X	X	X	X	X	X	---	X	X	X
5711	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	---	M	M	X	X	X	X	X	X	X	X	X	X
5737	PCI-X DDR Dual Channel Ultra320 SCSI RAID Adapter	---	---	---	---	X	X	X	X	X	---	X	X	X
<b>SCSI RAID Daughter Cards</b>														
5709	Dual Channel SCSI RAID Enablement Card	---	---	---	X	X	X	X	X	X	X	X	X	X
<b>SSA Adapters</b>														
6230	SSA RAID Adapter	M	M	M	---	---	---	---	---	---	X	X	X	X
6231	SSA 128 MB DIMM	M	M	M	---	---	---	---	---	---	X	X	X	X
6235	SSA RAID Fast Write Cache	M	M	M	---	---	---	---	---	---	X	X	X	X
<b>iSCSI Adapters</b>														
5713	1 Gigabit iSCSI TOE PCI-X -- Copper	---	---	---	---	---	---	---	---	---	---	X	X	X
5714	1 Gigabit iSCSI TOE PCI-X -- Fibre	---	---	---	---	---	---	---	---	---	---	X	X	X
<b>Fibre Channel Adapters</b>														

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

					Operating Systems									
		7026-6H1/M1	7040-671	7040-681	RedHat		Novell			IBM				
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer pSeries 660	eServer pSeries 670	eServer pSeries 690	RHEL 3	RHEL 4	RHEL 5	SLES 8	SLES 9	SLES 10	AIX 5.1	AIX 5.2	AIX 5.3	AIX 6.1
FC	Description													
5716	2 Gigabit Fibre Channel 1-Port PCI-X Adapter	---	M	M	X	X	X	---	X	X	X	X	X	X
6228	2 Gigabit Fibre Channel 1-Port PCI Adapter	M	M	M	X	X	X	X	X	X	X	X	X	X
6239	2 Gigabit Fibre Channel 1-Port PCI Adapter	M	M	M	X	X	X	X	X	X	X	X	X	X
<b>Ethernet Adapters</b>														
4961	4-Port 10/100 Mbps Ethernet PCI	M	M	M	X	X	X	X	X	X	X	X	X	X
4962	1-Port 10/100 Mbps Ethernet PCI II	M	M	M	X	X	X	X	X	X	X	X	X	X
5700	IBM Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	A	X	X	X	X	X	X	X	X	X	X
5701	IBM 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	A	X	X	X	X	X	X	X	X	X	X
5706	IBM 2-Port 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	A	X	X	X	X	X	X	X	X	X	X
5707	IBM 2-Port Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	A	X	X	X	X	X	X	X	X	X	X
5740	4-Port 10/100/1000 Base-T Ethernet PCI-X Adapter (Copper)	---	---	---	---	---	---	---	---	---	---	X	X	X
<b>10 Gig Ethernet Adapters</b>														
5718	IBM 1-Port 10 Gigabit Ethernet-SR PCI-X Adapter	---	M	M	---	X	X	---	X	X	---	X	X	X
5719	IBM 1-Port 10 Gigabit Ethernet-LR PCI-X Adapter	---	M	M	---	X	X	---	X	X	---	X	X	X
5721	IBM 1-Port 10 Gigabit Ethernet-SR PCI-X 2.0 DDR Adapter	---	A	A	---	X	X	---	X	X	---	X	X	X
5722	IBM 1-Port 10 Gigabit Ethernet-LR PCI-X 2.0 DDR Adapter	---	A	A	---	X	X	---	X	X	---	X	X	X
<b>Token Ring Adapters</b>														
4959	IBM 4/16 PCI Token Ring Adapter	M	M	M	---	---	---	---	---	---	X	X	X	X
<b>ATM</b>														
2946	622 MBS ATM Fibre Adapter	M	M	M	---	---	---	---	---	---	X	X	X	X
4953	155 MBS ATM UTP Adapter	M	M	M	---	---	---	---	---	---	X	X	X	X
4957	155 MBS ATM Fibre Adapter	M	M	M	---	---	---	---	---	---	X	X	X	X
<b>WAN Adapters</b>														
2947	IBM ARTIC960Hx 4-Port Multiprotocol PCI Adapter	M	M	M	---	---	---	---	---	---	X	X	X	X
2962	IBM Dual Port Multiprotocol Adapter	---	M	M	---	---	---	---	---	---	X	X	X	X
6312	Quad Digital Trunk Telephony PCI Adapter	---	---	---	---	---	---	---	---	---	X	X	X	X
<b>Async Adapters</b>														
2943	8 Port Async Adapter	A	A	A	---	---	---	---	---	---	X	X	X	X
2944	128 Port Async Adapter	M	M	M	---	---	---	---	---	---	X	X	X	X
5723	2 Port Asynchronous EIA-232 PCI Adapter	A	A	A	---	X	X	---	X	X	X	X	X	X
7036-P16	16 Port Asynchronous RAN	A	A	A	---	X	X	---	X	X	X	X	X	X

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

					Operating Systems									
		7026-6H1/M1	7040-671	7040-681	RedHat			Novell			IBM			
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer pSeries 660	eServer pSeries 670	eServer pSeries 690	RHEL 3	RHEL 4	RHEL 5	SLES 8	SLES 9	SLES 10	AIX 5.1	AIX 5.2	AIX 5.3	AIX 6.1
<b>FC</b>	<b>Description</b>													
	<b>FDDI</b>													
2741	FDDI-SAS	---	M	M	---	---	---	---	---	---	X	X	X	X
2742	FDDI -DAS	---	M	M	---	---	---	---	---	---	X	X	X	X
	<b>Graphics Adapters</b>													
2842	POWER GXT4500P 3D Graphics Accelerator	---	---	---	---	---	---	---	---	---	X	X	X	X
2843	POWER GXT6500P 3D Graphics Accelerator	---	---	---	---	---	---	---	---	---	X	X	X	X
2848	POWER GXT135P 2D Graphics Accelerator	M	M	M	X	X	X	X	X	X	X	X	X	X
2849	POWER GXT135P 2D Graphics Accelerator	A	A	A	X	X	X	X	X	X	X	X	X	X
	<b>Displays</b>													
3641	15-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
3643	20-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
3644	19-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
3645	17-inch Color TFT	A	A	A	X	X	X	X	X	X	X	X	X	X
3627	17-inch Color Monitor	M	M	M	X	X	X	X	X	X	X	X	X	X
3628	21-inch Color Monitor	M	M	M	X	X	X	X	X	X	X	X	X	X
3635	21-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
3636	20-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
3637	15-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
3638	21-inch Color CRT	M	M	M	X	X	X	X	X	X	X	X	X	X
3639	17-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
3640	17-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
3642	19-inch Color TFT	M	M	M	X	X	X	X	X	X	X	X	X	X
	<b>USB Adapters</b>													
2737	2 Port USB 1.1 PCI Adapter	M	M	M	X	X	X	X	X	X	X	X	X	X
2738	2 Port USB 2.0 PCI Adapter	---	A	A	X	X	X	---	X	X	X	X	X	X
	<b>DVD RAM Drives</b>													
2623	IBM 4.7 GB DVD-RAM Drive	---	M	M	X	X	X	X	X	X	X	X	X	X
5752	IBM DVD RAM Drive	---	---	---	---	---	---	---	---	---	X	X	X	X
	<b>DVD ROM Drives</b>													
2640	IBM IDE Slimline DVD-ROM Drive	---	---	---	X	X	X	X	X	X	X	X	X	X
	<b>Diskette Drives</b>													

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

					Operating Systems									
		7026-6H1/M1	7040-671	7040-681	RedHat			Novell			IBM			
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		eServer pSeries 660	eServer pSeries 670	eServer pSeries 690	RHEL 3	RHEL 4	RHEL 5	SLES 8	SLES 9	SLES 10	AIX 5.1	AIX 5.2	AIX 5.3	AIX 6.1
<b>FC</b>	<b>Description</b>													
2591	External USB 1.44 MB Diskette Drive	---	A	A	X	X	X	---	X	X	X	X	X	X
	<b>Internal Tape</b>													
5755	IBM LTO-2 200/400 GB LVD Tape Drive	---	---	---	---	---	---	---	---	---	---	X	X	X
6120	IBM VXA-2 80/160 GB LVD Tape Drive	M	M	M	X	X	X	---	X	X	X	X	X	X
6158	IBM 4MM 36/72 GB DAT72 LVD Tape Drive	M	M	M	X	X	X	---	X	X	X	X	X	X
6279	IBM VXA-3 160/320 GB LVD Tape Drive	---	---	---	---	---	---	---	---	---	---	X	X	X

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems							Operating Systems							
		7311-D10	7311-D11	7314-G30	7311-D20	7040-61D	5791	5794	RedHat			Novell		IBM		
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported									RHEL 3	RHEL 4.x	RHEL 5	SLES 9	SLES 10	AIX 5.2	AIX 5.3	AIX 6.1
Description		Rack	Rack	Rack	Rack	Frame	Frame	Frame								
	DASD	0	0	-	12	16	8	16								
	PCI-X Slots	6	6	6	7	20	20	20								
9117-MMA	System p 570	---	A	A	A	---	---	---								
7037-A50	System p5 185	---	---	---	A	---	---	---								
9115-505	System p5 505/505Q	---	---	---		---	---	---								
9110-51A	System p5 510/510Q	---	---	---	A	---	---	---								
9131-52A	System p5 520/520Q	---	---	---	A	---	---	---								
9133-55A	System p5 550/550Q	---	---	---	A	---	---	---								
9116-561	System p5 560Q	---	---	---	---	---	---	---								
9117-570	System p5 570	M	A	---	M	---	---	---								
9118-575	System p5 575	---	---	---	---	M	A	A								
9119-590	eServer p5 590	---	---	---	---	M	A	A								
9119-595	eServer p5 595	---	---	---	---	M	A	A								
9110-510	eServer p5 510 / p5 510 Express	---	---	---	---	---	---	---								
9111-520	eServer p5 520 / p5 520 Express	---	---	---	A	---	---	---								
9113-550	eServer p5 550 / p5 550 Express	---	---	---	A	---	---	---								
9117-570	eServer p5 570	M	A	---	M	---	---	---								
9118-575	eServer p5 575	---	---	---	---	M	A	A								
9119-590	eServer p5 590	---	---	---	---	M	A	A								
9119-595	eServer p5 595	---	---	---	---	M	A	A								
9123-710	eServer OpenPower 710	---	---	---	---	---	---	---								
9124-720	eServer OpenPower 720	---	---	---	A	---	---	---								
7047-185	IntelliStation POWER 185	---	---	---	A	---	---	---								
9111-285	IntelliStation POWER 285	---	---	---	---	---	---	---								
9114-275	IntelliStation POWER 275	---	---	---	---	---	---	---								

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems							Operating Systems							
		7311-D10	7311-D11	7314-G30	7311-D20	7040-61D	5791	5794	RedHat			Novell		IBM		
<b>A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported</b>									RHEL 3	RHEL 4.x	RHEL 5	SLES 9	SLES 10	AIX 5.2	AIX 5.3	AIX 6.1
<b>Description</b>		<b>Rack</b>	<b>Rack</b>	<b>Rack</b>	<b>Rack</b>	<b>Frame</b>	<b>Frame</b>	<b>Frame</b>								
<b>SCSI DASD UTC</b>																
3158	36.4 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	---	---	---	M	---	---	X	X	X	X	X	X	X	X
3159	73.4 GB 10,000 rpm Ultra3 SCSI Disk Drive Assembly	---	---	---	---	M	---	---	X	X	X	X	X	X	X	X
3273	36.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	M	---	---	---	X	X	X	X	X	X	X	X
3274	73.4 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
3275	146.8 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
3277	36.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
3278	73.4 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
3279	146.8 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	A	A	A	A	X	X	X	X	X	X	X	X
3578	300 GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	M	M	M	M	X	X	X	X	X	X	X	X
3585	300 GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	---	---	---	---	A	A	A	X	X	X	X	X	X	X	X
<b>SCSI Adapters</b>																
5710	PCI-X Dual Channel Ultra320 SCSI Adapter	M	---	---	---	M	M	M	X	X	X	X	X	X	X	X
5712	PCI-X Dual Channel Ultra320 SCSI Adapter	---	M	M	M	M	M	M	X	X	X	X	X	X	X	X
5736	PCI-X DDR Dual Channel Ultra320 SCSI Adapter	---	A	A	A	A	A	A	---	X	X	X	X	X	X	X
6203	PCI Dual Channel Ultra3 SCSI Adapter	M	---	---	M	M	M	M	X	X	X	X	X	X	X	X
6204	PCI Ultra SCSI Differential Adapter	M	M	---	M	M	M	M	X	X	X	X	X	X	X	X
<b>SCSI RAID Adapters</b>																
5703	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	---	M	---	M	M	M	M	X	X	X	X	X	X	X	X
5711	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	M	---	---	---	M	M	M	X	X	X	X	X	X	X	X
5737	PCI-X DDR Dual Channel Ultra320 SCSI RAID Adapter (GA 2/06)	A	A	---	A	A	A	A	---	X	X	X	X	X	X	X
<b>SSA Adapters</b>																
6230	SSA RAID Adapter	M	M	---	M	M	M	M	---	---	---	---	---	X	X	X
6231	SSA 128 MB DIMM	M	M	---	M	M	M	M	---	---	---	---	---	X	X	X
6235	SSA RAID Fast Write Cache	M	M	---	M	M	M	M	---	---	---	---	---	X	X	X
<b>iSCSI Adapters</b>																
5713	1 Gigabit iSCSI TOE PCI-X on twisted-pair copper media Adapter	A	A	---	A	A	A	A	---	---	---	X	X	X	X	X

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems							Operating Systems							
		7311-D10	7311-D11	7314-G30	7311-D20	7040-61D	5791	5794	RedHat			Novell		IBM		
<b>A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported</b>									RHEL 3	RHEL 4.x	RHEL 5	SLES 9	SLES 10	AIX 5.2	AIX 5.3	AIX 6.1
<b>Description</b>		<b>Rack</b>	<b>Rack</b>	<b>Rack</b>	<b>Rack</b>	<b>Frame</b>	<b>Frame</b>	<b>Frame</b>								
5714	1 Gigabit iSCSI TOE PCI-X on optical media Adapter	A	A	---	A	A	A	A	---	---	---	X	X	X	X	X
<b>Fibre Channel Adapters</b>																
5716	2 Gigabit Fibre Channel 1-Port PCI-X Adapter	M	M	M	M	M	M	M	X	X	X	X	X	X	X	X
6228	2 Gigabit Fibre Channel 1-Port PCI Adapter	M	---	---	M	M	M	M	X	X	X	X	X	X	X	X
6239	2 Gigabit Fibre Channel 1-Port PCI Adapter	M	---	M	M	M	M	M	X	X	X	X	X	X	X	X
5758	4 Gigabit Fibre Channel 1-Port PCI-X DDR Adapter		A	A	A	A	A	A								
5759	4 Gigabit Fibre Channel 2-Port PCI-X DDR Adapter		A	A	A	A	A	A								
<b>Ethernet Adapters</b>																
4961	4-Port 10/100 Mbps Ethernet PCI	M	M	---	M	M	M	M	X	X	X	X	X	X	X	X
4962	1-Port 10/100 Mbps Ethernet PCI II	M	M	---	M	M	M	M	X	X	X	X	X	X	X	X
5700	IBM Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5701	IBM 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5706	IBM 2-Port 10/100/1000 Base-TX Ethernet PCI-X Adapter (Copper)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5707	IBM 2-Port Gigabit Ethernet-SX PCI-X Adapter (Fibre)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
5740	4-Port 10/100/1000 Base-T Ethernet PCI-X Adapter (Copper)	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>10 Gig Ethernet Adapters</b>																
5718	IBM 1-Port 10 Gigabit Ethernet-SR PCI-X Adapter	M	M	M	M	M	M	M	---	X	X	X	X	X	X	X
5719	IBM 1-Port 10 Gigabit Ethernet-LR PCI-X Adapter	M	M	M	M	M	M	M	---	X	X	X	X	X	X	X
5721	IBM 1-Port 10 Gigabit Ethernet-SR PCI-X 2.0 DDR Adapter	A	A	A	A	A	A	A	---	X	X	X	X	X	X	X
5722	IBM 1-Port 10 Gigabit Ethernet-LR PCI-X 2.0 DDR Adapter	A	A	A	A	A	A	A	---	X	X	X	X	X	X	X
<b>Token Ring Adapters</b>																
4959	IBM 4/16 PCI Token Ring Adapter	M	M	---	M	M	M	M	---	---	---	---	---	X	X	X
<b>ATM</b>																
2946	622 MBS ATM Fibre Adapter	M	---	---	M	M	M	M	---	---	---	---	---	X	X	X
4953	155 MBS ATM UTP Adapter	M	---	---	M	M	M	M	---	---	---	---	---	X	X	X
4957	155 MBS ATM Fibre Adapter	M	M	---	M	M	M	M	---	---	---	---	---	X	X	X

IBM System p(tm) Server and IntelliStation(r) POWER(tm) Workstation I/O Facts and Features Document

		Systems							Operating Systems							
		7311-D10	7311-D11	7314-G30	7311-D20	7040-61D	5791	5794	RedHat			Novell		IBM		
<b>A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported</b>									RHEL 3	RHEL 4.x	RHEL 5	SLES 9	SLES 10	AIX 5.2	AIX 5.3	AIX 6.1
<b>Description</b>		<b>Rack</b>	<b>Rack</b>	<b>Rack</b>	<b>Rack</b>	<b>Frame</b>	<b>Frame</b>	<b>Frame</b>								
<b>WAN Adapters</b>																
2947	IBM ARTIC960Hx 4-Port Multiprotocol PCI Adapter	M	M	M	M	M	M	M	---	---	---	---	---	X	X	X
2962	IBM Dual Port Multiprotocol Adapter	M	M	M	M	M	M	M	---	---	---	---	---	X	X	X
6312	Quad Digital Trunk Telephony PCI Adapter	---	---	---	---	---	---	---	---	---	---	---	---	X	X	X
<b>Async Adapters</b>																
2943	8 Port Async Adapter	A	A	A	A	A	A	A	---	---	---	---	---	X	X	X
2944	128 Port Async Adapter	M	M	---	M	M	M	M	---	---	---	---	---	X	X	X
5723	2 Port Asynchronous EIA-232 PCI Adapter	A	A	A	A	A	A	A	---	X	X	X	X	X	X	X
<b>Graphics Adapters</b>																
2848	POWER GXT135P 2D Graphics Accelerator	M	M	---	M	M	M	M	X	X	X	X	X	X	X	X
2849	POWER GXT135P 2D Graphics Accelerator	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>USB Adapters</b>																
2737	2 Port USB 1.1 PCI Adapter	M	M	---	M	M	M	M	---	---	---	---	---	X	X	X
2738	2 Port USB 2.0 PCI Adapter	A	A	A	A	A	A	A	X	X	X	X	X	X	X	X
<b>Cryptography Adapters</b>																
4764	Crypto Express2 FIPS4	---	A	A	A	A	A	A	---	---	---	---	---	X	X	X
4963	Crypto Co-Processor FIPS4	M	---	---	M	M	M	M	---	---	---	---	---	X	X	X
4964	Crypto Co-Processor FIPS3	M	---	---	M	M	M	M	---	---	---	---	---	X	X	X

A = Available and Orderable  
 --- = not available for that server or operating system  
 X = Operating system supported  
 M = Migrateable

		7014-S11	7014-S25	7014-T00	7014-T42
A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported		11 EIA Rack	25 EIA Rack	36 EIA Rack	42 EIA Rack
Description					
9117-MMA	System p 570	---	---	A	A
7037-A50	System p5 185	A	A	A	A
9115-505	System p5 505/505Q	A	A	A	A
9110-51A	System p5 510/510Q	A	A	A	A
9131-52A	System p5 520/520Q	A	A	A	A
9133-55A	System p5 550/550Q	A	A	A	A
9116-561	System p5 560Q	---	---	A	A
9117-570	System p5 570	---	---	A	A
9118-575	System p5 575	---	---	---	---
9119-590	System p5 590	---	---	---	---
9119-595	System p5 595	---	---	---	---
9110-510	eServer p5 510 / p5 510 Express	A	A	A	A
9111-520	eServer p5 520 / p5 520 Express	A	A	A	A
9113-550	eServer p5 550 / p5 550 Express	A	A	A	A
9117-570	eServer p5 570	---	---	A	A
9118-575	eServer p5 575	---	---	---	---
9119-590	eServer p5 590	---	---	---	---
9119-595	eServer p5 595	---	---	---	---
9123-710	eServer OpenPower 710	---	---	A	A
9124-720	eServer OpenPower 720	---	---	A	A
7047-185	IntelliStation POWER 185	---	---	---	---
9111-285	IntelliStation POWER 285	---	---	---	---
9114-275	IntelliStation POWER 275	---	---	---	---
6858	Rear Door Heat Exchanger	---	---	---	A
6586	Modem Tray, 1U			A	A
6248	Accoustic Front/Rear Doors	---	---	A	---
6249	Accoustic Front/Rear Doors	---	---	---	A
6246	No Door trim kit	---	---	A	---
6247	No Door trim kit	---	---		A
6580	Rack Security Kit	---	---	A	A
6080	Ruggadized Kit	---	---	A	A
6098	Optional Side Kit	---	---	A	A
6104	Side by side rack attach kit	---	---	A	---
6086	Side by side rack attach kit	---	---	---	A
7188	ADDTNL PDU, WW, 1-PH 24/48A, 3-PH	A	A	A	A

		7031-D24	7031-T24
	<b>A = Available and Orderable, M = Migrateable, - = Not available, X = Operating System Supported</b>	<b>TotalStor age EXP24</b>	<b>TotalStor age EXP24</b>
	<b>Description</b>	<b>Rack</b>	<b>Tower</b>
	<b>DASD</b>	<b>24</b>	<b>24</b>
	<b>PCI Slots</b>	<b>0</b>	<b>0</b>
<b>9117-MMA</b>	<b>System p 570</b>	<b>A</b>	<b>A</b>
<b>7037-A50</b>	<b>System p5 185</b>	<b>A</b>	<b>A</b>
<b>9115-505</b>	<b>System p5 505/505Q</b>	<b>A</b>	<b>A</b>
<b>9110-51A</b>	<b>System p5 510/510Q</b>	<b>A</b>	<b>A</b>
<b>9131-52A</b>	<b>System p5 520/520Q</b>	<b>A</b>	<b>A</b>
<b>9133-55A</b>	<b>System p5 550/550Q</b>	<b>A</b>	<b>A</b>
<b>9116-561</b>	<b>System p5 560Q</b>	<b>A</b>	<b>A</b>
<b>9117-570</b>	<b>System p5 570</b>	<b>A</b>	<b>A</b>
<b>9118-575</b>	<b>System p5 575</b>	<b>A</b>	<b>A</b>
<b>9119-590</b>	<b>System p5 590</b>	<b>A</b>	<b>A</b>
<b>9119-595</b>	<b>System p5 595</b>	<b>A</b>	<b>A</b>
<b>9110-510</b>	<b>eServer p5 510 / p5 510 Express</b>	<b>A</b>	<b>A</b>
<b>9111-520</b>	<b>eServer p5 520 / p5 520 Express</b>	<b>A</b>	<b>A</b>
<b>9113-550</b>	<b>eServer p5 550 / p5 550 Express</b>	<b>A</b>	<b>A</b>
<b>9117-570</b>	<b>eServer p5 570</b>	<b>A</b>	<b>A</b>
<b>9118-575</b>	<b>eServer p5 575</b>	<b>A</b>	<b>A</b>
<b>9119-590</b>	<b>eServer p5 590</b>	<b>A</b>	<b>A</b>
<b>9119-595</b>	<b>eServer p5 595</b>	<b>A</b>	<b>A</b>
<b>9123-710</b>	<b>eServer OpenPower 710</b>	<b>A</b>	<b>A</b>
<b>9124-720</b>	<b>eServer OpenPower 720</b>	<b>A</b>	<b>A</b>
<b>7047-185</b>	<b>IntelliStation POWER 185</b>	<b>A</b>	<b>A</b>
<b>9111-285</b>	<b>IntelliStation POWER 285</b>	<b>A</b>	<b>A</b>
<b>9114-275</b>	<b>IntelliStation POWER 275</b>	<b>A</b>	<b>A</b>
<b>SCSI DASD UTC</b>			
3274	73.4GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M
3275	146.8GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M
3578	300GB 10,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M
3277	36.4GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M
3278	73.4GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M
3279	146.8GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	A	A
3585	300GB 15,000 rpm Ultra320 SCSI Disk Drive Assembly	M	M
<b>SCSI Repeater Cards</b>			
5741	Single Bus Ultra320 SCSI Repeater	A	A
5742	Dual Bus Ultra320 SCSI Repeater	A	A
<b>SCSI Cables</b>			

		7031-D24	7031-T24
	A = Available and Orderable, M = Migrateable, - = Not available, X = Operating System Supported	TotalStor age EXP24	TotalStor age EXP24
	Description	Rack	Tower
	<b>DASD</b>	<b>24</b>	<b>24</b>
	<b>PCI Slots</b>	<b>0</b>	<b>0</b>
2138	0.5M Ultra320 SCSI Cable	A	A
2124	1M Ultra320 SCSI Cable	A	A
2125	3M Ultra320 SCSI Cable	A	A
2126	5M Ultra320 SCSI Cable	A	A
2127	10M Ultra320 SCSI Cable	A	A
2128	20M Ultra320 SCSI Cable	A	A
	The adapters listed below are for informational purposes, consult with specific server or workstation for which exact server is supported with the server or workstation.		
	<b>SCSI Adapters</b>		
5710	PCI-X Dual Channel Ultra320 SCSI Adapter	M	M
5712	PCI-X Dual Channel Ultra320 SCSI Adapter	M	M
5736	PCI-X DDR Dual Channel Ultra320 SCSI Adapter	A	A
6203	PCI Dual Channel Ultra3 SCSI Adapter	M	M
6204	PCI Ultra SCSI Differential Adapter	M	M
1913	PCI-X DDR Dual Channel Ultra320 LVD SCSI RAID 0, 5, 6, 10 Adapter	A	A
1975	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	M	M
	<b>SCSI RAID Adapters</b>		
5703	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	M	M
5711	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	M	M
5737	PCI-X DDR Dual Channel Ultra320 SCSI RAID Adapter (GA 2/06)	A	A
1913	PCI-X DDR Dual Channel Ultra320 LVD SCSI RAID 0, 5, 6, 10 Adapter	M	M
1975	PCI-X Dual Channel Ultra320 SCSI RAID Adapter	A	A

		7316-TF3	7036-P16
	A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported	Flat Panel Display	Lan Attached RAN
	Description		
9117-MMA	System p 570	A	A
7037-A50	System p5 185	A	A
9115-505	System p5 505/505Q	A	A
9110-51A	System p5 510/510Q	A	A
9131-52A	System p5 520/520Q	A	A
9133-55A	System p5 550/550Q	A	A
9116-561	System p5 560Q	A	A
9117-570	System p5 570	A	A
9118-575	System p5 575	---	A
9119-590	System p5 590	---	A
9119-595	System p5 595	---	A
9110-510	eServer p5 510 / p5 510 Express	A	A
9111-520	eServer p5 520 / p5 520 Express	A	A
9113-550	eServer p5 550 / p5 550 Express	A	A
9117-570	eServer p5 570	A	A
9118-575	eServer p5 575	---	A
9119-590	eServer p5 590	---	A
9119-595	eServer p5 595	---	A
9123-710	eServer OpenPower 710	---	---
9124-720	eServer OpenPower 720	---	---
7047-185	IntelliStation POWER 185	A	A
9111-285	IntelliStation POWER 285	A	A
9114-275	IntelliStation POWER 275	---	---

		Cluster Switch
		7045-SW4
	A = Available and Orderable, M = Migrateable, -- = Not available, X = Operating System Supported	High Performance Switch
	Description	
9117-MMA	System p 570	---
7037-A50	System p5 185	---
9115-505	System p5 505/505Q	---
9110-51A	System p5 510/510Q	---
9131-52A	System p5 520/520Q	---
9133-55A	System p5 550/550Q	---
9116-561	System p5 560Q	---
9117-570	System p5 570	---
9118-575	System p5 575	A
9119-590	System p5 590	A
9119-595	System p5 595	A
9110-510	eServer p5 510 / p5 510 Express	---
9111-520	eServer p5 520 / p5 520 Express	---
9113-550	eServer p5 550 / p5 550 Express	---
9117-570	eServer p5 570	---
9118-575	eServer p5 575	A
9119-590	eServer p5 590	A
9119-595	eServer p5 595	A
9123-710	eServer OpenPower 710	---
9124-720	eServer OpenPower 720	---
7047-185	IntelliStation POWER 185	---
9111-285	IntelliStation POWER 285	---
9114-275	IntelliStation POWER 275	---