

IBM® Virtualization Engine™ TS7510

Supported Servers “Interoperability” Matrix

Updated on May 11, 2006

© Copyright International Business Machines Corporation 2003 - 2006. All rights reserved.

The information provided in this document is provided "AS IS" without warranty of any kind, including any warranty of merchantability, fitness for a particular purpose, interoperability or compatibility. IBM's products are warranted in accordance with the agreements under which they are provided.

Unless otherwise specified, the product manufacturer, supplier, or publisher of non-IBM products provides warranty, service, and support directly to you. IBM makes no representations or warranties regarding non-IBM products.

The inclusion of an IBM or non-IBM product on an interoperability list is not a guarantee that it will work with the designated IBM storage product. In addition, not all software and hardware combinations created from compatible components will necessarily function properly together. The following list includes products developed or distributed by companies other than IBM. IBM does not provide service or support for the non-IBM products listed, but does not prohibit them from being used together with IBM's storage products. During problem debug and resolution, IBM may require that hardware or software additions be removed from the IBM product to provide problem determination and resolution on the IBM-supplied hardware/ software. For support issues regarding non-IBM products, please contact the manufacturer of the product directly. IBM does not warrant either functionality or problem resolution of any non-IBM products.

This information could include technical inaccuracies or typographical errors. IBM does not assume any liability for damages caused by such errors as this information is provided for convenience only; the reader should confirm any information contained herein with the associated vendor.

Changes are periodically made to the content of the document. These changes will be incorporated in new editions of the document. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this document at anytime without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

IBM Virtualization Engine TS7510

3954 Model CV5

The IBM Virtualization Engine TS7510 is supported in the environments shown below. The sales representative and/or the customer are responsible for insuring that the specific host system configuration used (i.e. server model, operating system level and host adapter combination) is a valid and supported configuration.

For the latest firmware and device drivers use the links on the left or at the bottom of this document.

Supported Servers

[Hewlett-Packard Servers](#)

[IBM eServer zSeries® Linux](#)

[IBM eServer pSeries™ and IBM RS/6000®](#)

[Intel™ Based Servers](#)

[SUN Servers](#)

Hewlett-Packard Servers

TS7510 emulates 3584 with Ultrium 2 or 3 or 3592 J1A		
Servers	Operating Systems ¹	Host Adapters/SAN
HP 64 bit rp54xx, rp74xx and V Class HP: ² rx1600, 1620, rx2600, 2620 rx4640, 5670	HP-UX 11.0 patch PHKL 21834 for N-Class patch PHKL 22903 for L-Class HP-UX 11i, 11.23PI	FC HBA Search Tool
Notes		
1. For details and guidelines, please see the readme file for your operating system. 2. Itanium 2 servers		

IBM eServer zSeries Servers with FCP Channels

TS7510 emulates 3584 with Ultrium 2 or 3 or 3592 J1A		
Servers	Operating Systems	Host Adapters/SAN
zSeries Models 800 and 900 ¹ zSeries Models 890 and 990 ¹	SUSE LINUX Enterprise Server 8 for IBM zSeries 31-bit and 64-bit Servers. details SUSE LINUX Enterprise Server 9 for IBM zSeries 31-bit and 64-bit Servers. details	FC HBA Search Tool
Please check with the sales representatives for specific host adapters supported by model and detailed attachment and configuration information		
1. For zSeries specific information, see: zSeries FCP Connectivity		

IBM eServer p5 and pSeries, and IBM RS/6000 Servers

TS7510 emulates 3584 with Ultrium 2 or 3 or 3592 J1A		
Servers	Operating Systems	Host Adapters/SAN
AIX Servers	AIX 5L version 5.1, 5.2, 5.3 or later for Power-based servers ² details	FC HBA Search Tool
Linux Servers	Red Hat Enterprise Linux 3 details ; SUSE Linux Enterprise Server 8 details ; SUSE Linux Enterprise Server 9 details ;	FC HBA Search Tool
Notes		
<ol style="list-style-type: none"> 1. Certain restrictions may apply. See the details above for your operating system. 2. Support for pSeries 9111 Model 520, 9113 Model 550 running AIX 5.3, 9117 Model 570 running two partitions AIX 5.2H, AIX 5.3 		

Intel Based Servers

TS7510 emulates 3584 with Ultrium 2 or 3 or 3592 J1A		
Servers	Operating Systems ¹	Host Adapters/SAN
Linux Servers	Red Hat Enterprise Linux 3 details SUSE Linux Enterprise Server 8 details SUSE Linux Enterprise Server 9 details	FC HBA Search Tool
Microsoft™ Windows™ Servers	Windows Server 2003 details Build 3790 or later Windows 2000 Server details Build 2195 or later	FC HBA Search Tool
Notes		
1. Certain restrictions may apply. See the details above for your operating system.		

SUN Servers

TS7510 emulates 3584 with Ultrium 2 or 3 or 3592 J1A		
Servers	Operating Systems ¹	Host Adapters
SUN SPARC, UltraSPARC or Ultra/Enterprise Servers	Solaris 8 and 9 details	FC HBA Search Tool
Notes		
1. Certain restrictions may apply. See the details above for your operating system		

Related Links

IBM Virtualization Engine TS7510

[Home Page](#)

[Technical Support](#)

[Device Drivers](#)

[Publications](#)

[Fibre Channel HBA Search Tool](#)

[Fibre Channel Switches](#)

The following terms are trademarks of International Business Machines Corporation in the United States, other countries, or both:

AIX, AS/400, eServer, IBM, iSeries, OS/390, OS/400, i5/OS, pSeries, RS/6000, S/390, TotalStorage, VSE/ESA, z/OS, z/Series, z/VM

Intel is a trademark of Intel Corporation in the United States, other countries, or both.

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product or service names may be the trademarks or service marks of others.