

# **IBM® DB2® Web Query for System i™**

## **Upgrade from V1R1M0 to V1R1M1 Install Instructions**

(updated 04/16/2009)

### **Installation & Setup**

Review all instructions before starting the install of DB2 Web Query. Complete these steps in order, if possible.

To prepare and backup, sign on as QSECOFR or a user with \*SECADM and \*ALLOBJ authority.

#### **Preparation:**

To print which users are currently registered, use: WRKLCINF PRDID(5733QU2), option 9 for feature 5050. Thus, you can use this printed information when you add registered users later (below).

#### **Backup:**

The upgrade process will preserve your Web Query reports. It is recommended that you additionally make a backup of your data as follows:

```
QSYS/CRTSAVF FILE(<yourlib>/WEBQRY110) TEXT('SAVF OF WEB QUERY V1R1M0 USER REPORTS') /*Create a Save File to store the 110 Reports */
```

```
QSYS/SAV DEV('/QSYS.LIB/<yourlib>..LIB/WEBQRY110.FILE')  
OBJ('/QIBM/USERDATA/WEBQUERY/IBI/APPS/BASEAPP' *INCLUDE)  
('/QIBM/USERDATA/WEBQUERY/IBI/WEBFOCUS76/BASEDIR' *INCLUDE)  
('/QIBM/USERDATA/WEBQUERY/IBI/WEBFOCUS76/WORP/CONF/MPV.XML' *INCLUDE))  
SAVACT(*YES) /* Save the user reports and directories */
```

To install, sign on as QSECOFR or a user with \*SECADM and \*ALLOBJ authority.

#### **Install:**

1. If Web Query is currently running, issue the ENDWEBQRY command to end it as follows:
  - a. Sign in as QWEBQRYADM
  - b. Run QWEBQRY76/ENDWEBQRY
2. Review the 5733QU2 prerequisite programs, options and PTFs listed in **Section 1** and **Section 2** of the info [APAR II14375](#) and verify that **all prerequisites are installed** for your version of IBM i.
3. RSTLICPGM LICPGM(5733QU2) REPLACERLS(\*ONLY) DEV(OPT01) // Replace OPT01 with your optical drive
4. Read and press F14 to accept the license agreement.
5. Load and apply the latest 5733QU2 PTFs listed in **Section 3A** and **Section 3B** of the matching **Info APAR** (link above).

The first time the product is installed, it creates a user profile QWEBQRYADM with no password supplied. Run the following to set the password for this profile:

CHGUSRPRF USRPRF(QWEBQRYADM) PASSWORD(<yourpwd>)

**Add the license keys using ADDLICKEY - Note that you will need new license keys with V1R1M1.**

**Named User Licensing** (each user needs to be pre-authorized):

1. For each user that will use the product, run: CALL QWEBQRY76/WQADDLIC 'USRPRF' where USRPRF is your user profile in upper case. If you printed your previous release users in the preparation step, you should refer to that printout now.
2. If you need to remove a user, run: CALL QWEBQRY76/WQRLSLIC 'USRPRF' Note that if you exceed the limit of purchased named users, the login function will be disabled. To remove people, use WQRLSLIC.
3. To display which users are currently registered, use: WRKLCINF PRDID(5733QU2), option 8 for feature 5050.

\* Security reminder: Your developer profiles need the MRADMIN group in it to create domains and reports. See the DB2 Web Query Product documentation for further details.

**Start Web Query:**

1. Sign in as QWEBQRYADM
2. Run QWEBQRY76/STRWEBQRY

**End Web Query:**

1. Sign in as QWEBQRYADM
2. Run QWEBQRY76/ENDWEBQRY

**If purchased - Install the Active Reports option**

- RSTLICPGM LICPGM(5733QU2) DEV(OPT01) OPTION(1)

**If purchased - Install the OLAP Enablement option**

- RSTLICPGM LICPGM(5733QU2) DEV(OPT01) OPTION(2)

**If purchased – Install the Run Time User Enablement option**

- RSTLICPGM LICPGM(5733QU2) DEV(OPT01) OPTION(4)

• For details on taking advantage of Run Time User Enablement, please see:  
[http://www-03.ibm.com/systems/i/software/db2/pdf/DB2\\_Web\\_Query\\_Run\\_Time\\_User\\_Enablement.pdf](http://www-03.ibm.com/systems/i/software/db2/pdf/DB2_Web_Query_Run_Time_User_Enablement.pdf)

**If purchased - Install the Developer Workbench:**

1. RSTLICPGM LICPGM(5733QU2) DEV(OPT01) OPTION(3)
2. Load and apply the latest 5733QU2 PTFs for Developer Workbench listed in **Section 3C** of the matching **Info APAR** (links above).

3. Copy the install file from IFS to your PC. This can be done by FTPing the install file to the PC or mapping a drive from the PC to the IFS. The install file is located at:  
/qibm/proddata/webquery/ibi/DeveloperWorkBench/WfDevStudio766i.exe
4. Execute the Developer Workbench Install Program: WfDevStudio766i.exe

**For NLS configuration, please follow the NLS Configuration steps in Appendix A of the Webquery Install document located at the following URL:**  
[http://www-304.ibm.com/jct03004c/systems/i/software/db2/pdf/DB2\\_Web\\_Query\\_Install.pdf](http://www-304.ibm.com/jct03004c/systems/i/software/db2/pdf/DB2_Web_Query_Install.pdf)

***Remember to watch Section 3 of the Info APARs for the latest PTFs for the DB2 Web Query Product!***